

Declaration of Performance

according Annex III of the Regulation (EU) No 305/2011 amended by Commissions delegated Regulation (EU) No 574/2014

for the product

AQUAFIN-IC

| 1. | Unique identification code of the product type: | DIN EN 1504-2:ZA.1d and ZA.1e |
|----|---|-------------------------------|
| | | |

2. Intended use: DIN EN 1504-2:ZA.1d and ZA.1e

Surface protection products - Coating

Moisture control (2.2)

3. Manufacturer: Schomburg GmbH & Co. KG

Aquafinstrasse 2-8 32760 Detmold

System 4

4. System or systems of assessment and verification of constancy of performance

of the construction product as:

System 3 reaction to fire

5. Harmonised standard: EN 1504-2:2004

6. Notified test laboratory:

7. Declared performance:

| Essential characteristics | Performance | System of assessment and verification of constancy of performance | Harmonised technical specification |
|---|--|---|------------------------------------|
| Capillary water absorption and water permeability | $w < 0.1 \text{ kg/m}^2 \text{ x h}^{0.5}$ | System 4 | DIN EN 1504-2:2004 |
| Water vapour permeability | class I | | |
| CO ₂ permeability | S _D -value > 50 m | | |
| Adhesion strength by pull-off test | ≥0,8 N/mm² | | |
| Reaction of fire | Class A1 | System 3 |] |

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.



Signed for and on behalf of the manufacturer by:

Stefan Flügge, Technical service (name and function)

Detmold, 04.09.2018

This declaration of performance was created electronically. It is valid without manual signature.

The current material safety data sheet and technical data sheet is downloadable under

http://www.schomburg-ics.de/en/Materials safety Data Sheet MSDS-datenblaetter.html

or

http://www.schomburg-ics.de/en/Technical_Data_Sheet-datenblaetter.html