

Page 1/8

Revision: 26.09.2023

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.09.2023

Version number 9 (replaces version 8)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: ASOCRET-HS-FLEX
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use SU19 Building and construction work
- · Application of the substance / the mixture Adhering sludges
- · Uses advised against Applications not mentioned above are not recommended.
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

SCHOMBURG GmbH & Co. KG

Aquafinstr. 2-8 D-32760 Detmold

Germany

Tel: ++49 (0)5231/953-00 Fax: ++49 (0)5231/953-123 email: info@schomburg.de web: www.schomburg.de

Informing department:

Department: Environment and Safety

If you have any questions about the Environment and Safety Department, please contact our department.

e-Mail: SDB@schomburg.de

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



corrosion

Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H335 May cause respiratory irritation.

- 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

- · Hazard pictograms GHS05, GHS07
- · Signal word Danger
- · Hazard-determining components of labelling:

Cement, portland, chemicals

· Hazard statements

H315 Causes skin irritation.

(Contd. on page 2)

Printing date 26.09.2023 Version number 9 (replaces version 8) Revision: 26.09.2023

Trade name: ASOCRET-HS-FLEX

(Contd. of page 1)

H318 Causes serious eye damage. H335 May cause respiratory irritation.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear eye protection / face protection.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· **Description:** Product based on cement and mineral filler.

· Dangerous components:

CAS: 65997-15-1 Cement, portland, chemicals

50-100%

EINECS: 266-043-4 📀 Eye Dam. 1, H318; 🗘 Skin Irrit. 2, H315; STOT SE 3, H335

Additional information

The chromate content in cement is less than 2 ppm so that the labelling with H317 is not applicable (1907/2006/EG, Annex XVII (47)).

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

· General information

Instantly remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Personal protection for the First Aider.

It is possible to choke in case of vomiting in unconsciousness.

Bring unconscious persons into a stable position on side.

Keep the respiratory tract free (remove dentures and vomiting).

Check the pulse. In case of heart failure you have to make a cardiac massage. In case of stoppage of breathing: artificial respiration.

Take up a doctor immediately!

· After inhalation Supply fresh air or oxygen; call for doctor.

· After skin contact

Instantly wash with water and soap and rinse thoroughly.

Wash with water and soap.

After contact, clean the skin mechanical and rinse with water and soap.

Change immediately contaminated clothes.

· After eye contact Rinse opened eye for several minutes under running water. Then consult doctor.

· After swallowing

Do not induce vomiting; instantly call for medical help.

Drink copious amounts of water and provide fresh air. Instantly call for doctor.

Show the packaging or the label to the doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 3)

Printing date 26.09.2023 Version number 9 (replaces version 8)

Trade name: ASOCRET-HS-FLEX

(Contd. of page 2)

Revision: 26.09.2023

 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents

Product is not inflammable.

CO2, extinguishing powder or water jet. Fight larger fires with water jet.

5.2 Special hazards arising from the substance or mixture

Extinguishing water creates an alkaline solution that can cause irritation.

Formation of poisonous gases during heating or in fires.

- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained breathing apparatus.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Follow the emergency-plan.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective clothing.

Avoid eye- and skin contact.

Avoid causing dust.

Bring persons out of danger.

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow product to reach sewage system or water bodies.

Inform respective authorities in case product reaches water or sewage system.

The product may not leak out in sewerage system, stretch of water or soil.

6.3 Methods and material for containment and cleaning up:

Pick up mechanically dust-free.

Use neutralising agent.

Ensure adequate ventilation.

Pick up the product mechanically, avoid dust formation.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Thorough dedusting.

Prevent formation of dust.

Keep away from children.

- Information about protection against explosions and fires: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers: Protect against wetness and water.
- · Information about storage in one common storage facility:

Please follow the rules of the VCI-Storage-Concept for chemicals.

· Further information about storage conditions:

Keep container tightly sealed.

Store in a locked cabinet and out of the reach of children.

(Contd. on page 4)

Printing date 26.09.2023

Version number 9 (replaces version 8)

Trade name: ASOCRET-HS-FLEX

(Contd. of page 3)

Revision: 26.09.2023

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters
- Components with critical values that require monitoring at the workplace:

65997-15-1 Cement, portland, chemicals (50-100%)

WEL Long-term value: 10* 4** mg/m3 *inhalable dust **respirable dust

1317-65-3 Calciumcarbonat (2.5-10%)

WEL Long-term value: 10* 4** mg/m3 *inhalable dust; **respirable

- · Additional information: The lists that were valid during the compilation were used as basis.
- 8.2 Exposure controls

· Appropriate engineering controls

It must be possible to wash the skin in the working area.

Eye-wash bottle must be available.

- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals.

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Vacuum clean contaminated clothing. Do not blow or brush off contamination.

Avoid contact with the eyes and skin.

Do not eat, drink or smoke while working.

Use skin protection cream for preventive skin protection.

Be sure to clean skin thoroughly after work and before breaks.

Breathing equipment:

Use respiratory protective equipment at formation of dust.

In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

· Hand protection

Do not reuse one-way-gloves

Hand Protection: Nitril-rubber-latex-gloves.

In case of wearing synthetic protective gloves use cotton-gloves as underwear.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Mechanical protective glove with a coating of PVC or nitrile

Suitable protective gloves have been determined for activities with products containing cement (GISCODES ZP1). Suitable are e.g.

Ampri: SolidSafetv Cut 081101 / SolidSafetv Tough 081201 / SolidSafetvTough Dots 081202

Ansell: Flexitril L27 / Fleximax 27 or 35 / Hylite / Nitrotough N210 / Sol-Knit

KCL: Sahara / Gobi / Nitex

MAPA: Duo-Mix 405 / Enduro 328 / Stansolv AK 22 / Titanlite 397 / Titansuperlite

UVEX: uvex Profi Ergo XG 20 / uvex phynomic pro

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

Printing date 26.09.2023 Version number 9 (replaces version 8) Revision: 26.09.2023

Trade name: ASOCRET-HS-FLEX

· Penetration time of glove material

(Contd. of page 4)

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection

Tightly sealed safety glasses.

In case of splashing use protecting basket-glasses.

Body protection:

Acid resistant protective clothing

Alkaline resistant protective clothing

Apron

Use an Overall of heavy cotton or non-returnable Tyvek/Saranex 23 P vleece.

Contaminated protection clothes must be cleaned carefully before reuse.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

· General Information

· Physical state Solid material.

· Colour: Grey

Smell: Characteristic
 Odour threshold: Not determined.
 Melting point/freezing point: >1,000 °C

Boiling point or initial boiling point and

boiling range not apply

· Flammability Not determined.

· Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: Not applicable
Decomposition temperature: Not determined.

· pH at 20 °C 11.4 (1%)

· Viscosity:

Kinematic viscositydynamic:Not applicable.Not applicable.

· Solubility

· Water: miscible

· Partition coefficient n-octanol/water (log

value) Not determined. Steam pressure: Not applicable.

Density and/or relative density

Density bulk density
 Relative density Not determined.
 Settled apparent density 900-1,100 kg/m³ 1.18 kg/dm³

· Vapour density Not applicable.

9.2 Other information

· Appearance:

· Form: Powder

Important information on protection of health and environment, and on safety.

• Self-inflammability: Product is not selfigniting. • Explosive properties: Product is not explosive.

Solvent content:

· Organic solvents: 0.0 %

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.09.2023 Version number 9 (replaces version 8) Revision: 26.09.2023

Trade name: ASOCRET-HS-FLEX

		(Contd. of page 5
· Change in condition		
Evaporation rate	Not applicable.	
Information with regard to physical hazard		
classes		
· Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
· Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
· Flammable solids	Void	
· Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
· Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- LD/LC50 values that are relevant for classification: No dates existing.
- · Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye damage.
- · STOT-single exposure May cause respiratory irritation.
- 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.

(Contd. on page 7)

Version number 9 (replaces version 8) Revision: 26.09.2023 Printing date 26.09.2023

Trade name: ASOCRET-HS-FLEX

12.5 Results of PBT and vPvB assessment

(Contd. of page 6)

- · PBT: Not applicable. · **vPvB:** Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleaning agent: Water, if necessary with cleaning agent.

ADR Number/Letter:	
Transport/Additional information:	
14.7 Maritime transport in bulk according IMO instruments	to Not applicable.
14.6 Special precautions for user	Not applicable.
14.5 Environmental hazards:	Not applicable.
14.4 Packing group ADR, IMDG, IATA	Void
ADR, ADN, IMDG, IATA Class	Void
14.3 Transport hazard class(es)	
14.2 UN proper shipping name ADR, IMDG, IATA	Void
14.1 UN number or ID number ADR, IMDG, IATA	Void

Printing date 26.09.2023 Version number 9 (replaces version 8) Revision: 26.09.2023

Trade name: ASOCRET-HS-FLEX

(Contd. of page 7)

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

· Department issuing data specification sheet:

Department EHS (Environment-Health-Safety)

Environment protection department.

· Contact: Department EHS (Environment-Health-Safety)

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

* * Data compared to the previous version altered.

- GB