

according to 1907/2006/EC, Article 31

Printing date 10.03.2015 Version number 6 Revision: 10.03.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

· Trade name: BETOCRETE-C20

· Article number: 406706

- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Concrete/Mortar admixtures
- 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

SCHOMBURG GmbH

Aquafinstr. 2-8 D-32760 Detmold

Germany

Tel: ++49 (0)5231/953-00 Fax: ++49 (0)5231/953-123 email: info@schomburg.de web: www.schomburg.de

· Informing department:

Product Safety Department

Tel: ++49 (0)5231/953-193 Fax: ++49 (0)5231/953-106

email: guido.herfort@schomburg.de

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Skin Corr. 1C H314 Causes severe skin burns and eye damage.



GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC



C; Corrosive

R34: Causes burns.

· Information concerning particular hazards for human and environment:

The product may not leak out in sewerage system, stretch of water or soil.

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Classification system:

The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies.

- 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- Hazard pictograms GHS05
- · Signal word Danger
- · Hazard statements

H314 Causes severe skin burns and eye damage.

(Contd. on page 2)

(Contd. of page 1)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 10.03.2015 Version number 6 Revision: 10.03.2015

Trade name: BETOCRETE-C20

· Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection. P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: aqueous salt water solution with Metal soaps

· Dangerous components:

CAS: 584-08-7 potassium carbonate

10-25%

EINECS: 209-529-3 Xi R36/37/38

Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335

• Additional information For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information Personal protection for the First Aider.
- · After inhalation Supply fresh air or oxygen; call for doctor.
- · After skin contact

Instantly wash with water and soap and rinse thoroughly.

If symptoms appearance, call the doctor.

- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing

Drink copious amounts of water and provide fresh air. Instantly call for doctor.

Show the pack or the label to the doctor.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents Product is not inflammable.
- · 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained breathing apparatus.
- · Additional information Follow the emergency-plan.

GB

according to 1907/2006/EC, Article 31

Printing date 10.03.2015 Version number 6 Revision: 10.03.2015

Trade name: BETOCRETE-C20

(Contd. of page 2)

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and emergency procedures Bring persons out of danger.

Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep away from children.

Store in cool, dry place in tightly closed containers.

- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and containers: Store in cool location.
- Information about storage in one common storage facility:

Please follow the rules of the VCI-Storage-Concept for chemicals.

- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical systems:

It must be possible to wash the skin in the working area.

Eye-wash bottle must be available.

- · 8.1 Control parameters
- · Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the compilation were used as basis.
- 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals.

Avoid contact with eyes and skin. Change clothes which heavy contaminate with the product.

Be sure to clean skin thoroughly after work and before breaks.

- · Breathing equipment: Not required.
- · Protection of hands: Hand Protection: Nitril-rubber-latex-gloves.
- · Material of gloves

Butyl rubber II R: Thickness ≥ 0,5mm; Break through time ≥ 480 min

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eve protection: Safety glasses

(Contd. on page 4)

according to 1907/2006/EC, Article 31

Printing date 10.03.2015 Version number 6 Revision: 10.03.2015

Trade name: BETOCRETE-C20

· Body protection: Protective work clothing.

(Contd. of page 3)

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- General Information

· Appearance:

Form: Fluid
Colour: White

• Smell: Characteristic

• pH-value at 20 °C: 12

· Change in condition

Melting point/Melting range: Not determined Boiling point/Boiling range: Not determined

· Flash point: Not applicable

· Self-inflammability: Product is not selfigniting.

· **Danger of explosion:** Product is not explosive.

· Density at 20 °C 1.05 g/cm³

· Solubility in / Miscibility with

Water: miscible

9.2 Other information
 No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

584-08-7 potassium carbonate

Oral LD50 >2000 mg/kg (rats)

68439-49-6 alphatic alcohol C16-18 ethoxylated

Oral LD50 500-2000 mg/kg (rats)

- Primary irritant effect:
- · on the skin: Corrosive
- · on the eye: Corrosive
- · Sensitisation: No sensitizing effect known.

GB

according to 1907/2006/EC, Article 31

Printing date 10.03.2015 Version number 6 Revision: 10.03.2015

Trade name: BETOCRETE-C20

(Contd. of page 4)

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

68439-49-6 alphatic alcohol C16-18 ethoxylated

EC50 >1000 mg/l (Pseudomas putida)

- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleaning agent: Water, if necessary with cleaning agent.

· 14.1 UN-Number · ADR, IMDG, IATA	UN1719
· 14.2 UN proper shipping name · ADR	1719 CAUSTIC ALKALI LIQUID, N.O.S.
· IMDG, IATA	(POTASSIUM HYDROXIDE) CAUSTIC ALKALI LIQUID, N.O.S. (POTASSIUM HYDROXIDE)
· 14.3 Transport hazard class(es)	
J. J	
· Class	8 Corrosive substances.
· Label	8 Corrosive substances. 8
· Label · 14.4 Packing group	
	8

according to 1907/2006/EC, Article 31

Printing date 10.03.2015 Version number 6 Revision: 10.03.2015

Trade name: BETOCRETE-C20

	(Contd. of page 5)
· Segregation groups	Alkalis
 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5L
Transport category	3
Tunnel restriction code	E
· UN "Model Regulation":	UN1719, CAUSTIC ALKALI LIQUID, N.O.S. (POTASSIUM HYDROXIDE), 8, III

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · National regulations
- · Water hazard class:

Water hazard class 1 (Self-assessment): slightly hazardous for water.

The classification based on german instructions.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

R36/37/38 Irritating to eyes, respiratory system and skin.

- · Department issuing data specification sheet: Environment protection department.
- · Contact:

Mr. Guido Herfort

Mr. Guido Herfort

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Skin Corr. 1C: Skin corrosion/irritation, Hazard Category 1C

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

· * Data compared to the previous version altered.