
IÍ SCHOMBURG

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.03.2021

Version number 9

Revision: 03.03.2021



Version number 9

Revision: 03.03.2021

Trade name: UNIFIX-S3-fast (B-Komp.)

		(Contd. of page 1
Dangerous compone CAS: 2634-33-5 EINECS: 220-120-9		0.005-<0.025%
CAS: 2682-20-4 EINECS: 220-239-6	2-methyl-2H-isothiazol-3-one	<0.0015%
CAS: 55965-84-9 EC number: 611-341-	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC 5 no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	<0.0015%

• Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- · General information Personal protection for the First Aider.
- After inhalation Supply fresh air or oxygen; call for doctor.
- · After skin contact
- Change immediately heavy contaminated clothes.
- Don't use solvents to clean the skin.
- Wash with water and soap.
- After eye contact Rinse opened eye for several minutes under running water.
- After swallowing Drink copious amounts of water and provide fresh air. Instantly call for doctor. Show the pack or the label to the doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents
- CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.

(Contd. on page 3)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.03.2021

Version number 9

Revision: 03.03.2021

Trade name: UNIFIX-S3-fast (B-Komp.)

5.3 Advice for firefighters

• **Protective equipment:** Wear self-contained breathing apparatus.

- · Additional information
- Follow the emergency-plan.

Burst- and explosion-danger by increasing pressure.

In case of fire chill the container with water spray.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Bring persons out of danger.
- Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.
 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · 6.4 Reference to other sections
- No dangerous materials are released.
- See Section 7 for information on safe handling
- See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Keep away from children.

- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and containers: No special requirements.
- Information about storage in one common storage facility: Store away from foodstuffs.

Please follow the rules of the VCI-Storage-Concept for chemicals.

- · Further information about storage conditions: Protect from frost.
- Storage class 12
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

• Components with critical values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls

It must be possible to wash the skin in the working area. Eye-wash bottle must be available.

- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures Wash hands during breaks and at the end of the work.

The usual precautionary measures should be adhered to in handling the chemicals.

Do not eat, drink or smoke while working.

Avoid contact with eyes and skin. Change clothes which heavy contaminate with the product.

- Breathing equipment: Not required.
- · Hand protection Hand Protection: Nitril-rubber-latex-gloves.

(Contd. on page 4)

(Contd. of page 2)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.03.2021

Version number 9

Revision: 03.03.2021

(Contd. of page 3)

Trade name: UNIFIX-S3-fast (B-Komp.)

• **Material of gloves** Nitril-rubber-latex-gloves II R: Thickness $\ge 0,5$ mm; Break through time ≥ 480 min

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Safety glasses

· Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemi	cal properties
General Information	
Physical state	Fluid
· Colour:	White
· Smell:	Ester-like
· Odour threshold:	Not determined.
 Melting point/freezing point: 	Not determined
 Boiling point or initial boiling point and 	
boiling range	Not determined
· Flammability	Not applicable.
 Lower and upper explosion limit 	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable
· Self-inflammability:	Product is not selfigniting.
· Decomposition temperature:	Not determined.
· pH at 20 °C	10
· Viscosity:	
· Kinematic viscosity	Not determined.
· dynamic at 20 °C:	40 mPas
Solubility	
· Water:	miscible
Partition coefficient n-octanol/water (log	
value)	Not determined.
· Steam pressure:	Not determined.
· Density and/or relative density	Not determined.
· Density at 20 °C	1 g/cm³
· Relative density	Not determined.
· Vapour density	Not determined.
· · ·	Not determined.
9.2 Other information	
· Appearance:	
· Form:	Liquid
Important information on protection of health	1
and environment, and on safety.	
 Explosive properties: 	Product is not explosive.
Change in condition	
· Evaporation rate	Not determined.
Information with regard to physical hazard	
classes	
·Explosives	Void
· Flammable gases	Void
	Void
· Oxidising gases	Void
· Gases under pressure	Void
	(Contd. on page 5)

- GB

Version number 9

Revision: 03.03.2021

Trade name: UNIFIX-S3-fast (B-Komp.)

		(Contd. of page 4)
· Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
 Pyrophoric liquids 	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
 Substances and mixtures, which emit 		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
Oxidising solids	Void	
· Organic peroxides	Void	
Corrosive to metals	Void	
 Desensitised explosives 	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification:

2634-33-5 1,2-benzisothiazol-3(2H)-one

Oral LD50 670 mg/kg (rats) (OECD 401)

Dermal LD50 >2,000 mg/kg (rats) (OECD 402)

2682-20-4 2-methyl-2H-isothiazol-3-one

Oral LD50 120 mg/kg (rats) (EPA OPPTS 870.1100)

Dermal LD50 242 mg/kg (rats) (OECD 402)

55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

Oral LD50 64 mg/kg (rats)

Dermal LD50 87.12 mg/kg (Kan)

Inhalative LC50/4 h 0.33 mg/l (rats)

- · Primary irritant effect: No irritant action known.
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.

· Serious eye damage/irritation

Irritate-effect is possible.

Based on available data, the classification criteria are not met.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- \cdot STOT-single exposure Based on available data, the classification criteria are not met.

· STOT-repeated exposure Based on available data, the classification criteria are not met.

(Contd. on page 6)

Version number 9

Revision: 03.03.2021

(Contd. of page 5)

Trade name: UNIFIX-S3-fast (B-Komp.)

- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

NOEC

· Aquatic toxicity:

2634-33-5 1,2-benzisothiazol-3(2H)-one

- EC 500.11 mg/kg /72h (Selenastrum capricornutum) (OECD 201)LC50/96h2.2 mg/l (rainbow trout) (OECD 203)EC50 (48h)3.27 mg/l (Daphnia (acute) toxicity) (OECD 202)NOEC1.2 mg/l /21d (Daphnia magna) (OECD 211)0.04 mg/l /72h (Selenastrum capricornutum) (OECD 201)
 - 0.21 mg/l /28d (rainbow trout) (OECD 215)

2682-20-4 2-methyl-2H-isothiazol-3-one

- LC50 (48h) 0.934 mg/l (Daphnia magna) (OECD 202)
- LC50/96h 4.77 mg/l (rainbow trout) (OECD 203)
- EC/LC50 (72h) 0.103 mg/l (algae toxicity) (OECD 201)
 - 0.04 mg/l (Daphnia magna) ((21 d))
 - 2.1 mg/l (Pimephales promelas) ((33 d))

55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

- LC50 (48h) 0.16 mg/l (Daphnia magna) (vgl OECD 202)
- LC50/96h 0.19 mg/l (rainbow trout) (vgl. OECD 203)
- ERC50 0.0052 mg/l (algae toxicity) (48h, OECD 201)
- NOEC 0.1 mg/l (Daphnia magna) (21 d)
 - 0.05 mg/l (rainbow trout) (14 d)
- **12.2 Persistence and degradability** No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes: Generally not hazardous for water.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

(Contd. on page 7)

Version number 9

Revision: 03.03.2021

(Contd. of page 6)

Trade name: UNIFIX-S3-fast (B-Komp.)

· Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information	
 14.1 UN number or ID number ADR, ADN, IMDG, IATA 	Void
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Void
 14.3 Transport hazard class(es) 	
· ADR, ADN, IMDG, IATA · Class	Void
 14.4 Packing group ADR, IMDG, IATA 	Void
 14.5 Environmental hazards: Marine pollutant: 	No
· 14.6 Special precautions for user	Not applicable.
 14.7 Maritime transport in bulk accord IMO instruments 	ing to Not applicable.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

National regulations

- · Water hazard class: Generally not hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H301 Toxic if swallowed.

- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H330 Fatal if inhaled.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

(Contd. on page 8)

⁻ GB

Version number 9

Revision: 03.03.2021

Trade name: UNIFIX-S3-fast (B-Komp.)

	(Contd. of page
Department issuing data specification sheet: Environment protection departme	nt.
Contact: Mr. Guido Herfort	
Date of previous version: 03.03.2021	
Version number of previous version: 8	
Abbreviations and acronyms:	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreem	ent concerning the
International Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINECS. European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Acute Tox. 3: Acute toxicity - oral – Category 3	
Acute Tox. 4: Acute toxicity - oral – Category 4	
Acute Tox. 2: Acute toxicity - inhalation – Category 2	
Skin Corr. 1B: Skin corrosion/irritation – Category 1B	
Skin Corr. 1C: Skin corrosion/irritation – Category 1C	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1	
Skin Sens. 1: Skin sensitisation – Category 1	
Skin Sens. 1A: Skin sensitisation – Category 1A	
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1	
* Data compared to the previous version altered.	