Safety data sheet


according to 1907/2006/EC, Article 31

SCHOMBURG

Printing date 17.05.2016

Version number 3

Revision: 17.05.2016



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.05.2016

Version number 3

Revision: 17.05.2016

Trade name: Unifix S3 (Powder) (Contd. of page 1) IF INHALED: Remove person to fresh air and keep comfortable for breathing. P304+P340 P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/ international regulations. 2.3 Other hazards Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable. **SECTION 3: Composition/information on ingredients** 3.2 Chemical characterisation: Mixtures · Description: Product based on cement and mineral filler. Dangerous components: Cement, portland, chemicals CAS: 65997-15-1 25-50% EINECS: 266-043-4 🔶 Eye Dam. 1, H318; 🚸 Skin Irrit. 2, H315; STOT SE 3, H335 CAS: 1305-62-0 calcium dihydroxide < 1% EINECS: 215-137-3 🚸 Eye Dam. 1, H318; 🚸 Skin Irrit. 2, H315; STOT SE 3, H335 **SECTION 4: First aid measures** 4.1 Description of first aid measures · General information Personal protection for the First Aider. · After inhalation Supply fresh air; consult doctor in case of symptoms. · After skin contact Instantly wash with water and soap and rinse thoroughly. After eye contact Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor. After swallowing Rinse out mouth and then drink plenty of water. In case of persistent symptoms consult doctor. 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available. 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available. **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
 Avoid causing dust.
 Avoid eye- and skin contact.
- 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.
- 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

(Contd. on page 3)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.05.2016

Version number 3

Revision: 17.05.2016

Trade name: Unifix S3 (Powder)

Pick up the product mechanically, avoid dust formation.

- · 6.4 Reference to other sections
- See Section 7 for information on safe handling
- See Section 8 for information on personal protection equipment.
- See Section 13 for information on disposal.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Keep away from children.
- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and containers: Protect against wetness and water.
- · Information about storage in one common storage facility: Please follow the rules of the VCI-Storage-Concept for chemicals.
- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical systems: It must be possible to wash the skin in the working area. Eye-wash bottle must be available.
- 8.1 Control parameters
- · Components with critical values that require monitoring at the workplace: 65997-15-1 Cement, portland, chemicals (25-50%)
- OES Long-term value: 10* 4** mg/m³
- *total inhalable dust **respirable dust Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals. Wash hands during breaks and at the end of the work. Vacuum clean contaminated clothing. Do not blow or brush off contamination.

- Avoid contact with the eyes and skin.
- · Breathing equipment: Use respiratory protective equipment at formation of dust.
- · Protection of hands: Hand Protection: Nitril-rubber-latex-gloves.
- Material of gloves Butyl rubber II R: Thickness ≥ 0.5 mm; Break through time ≥ 480 min
- Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and
- has to be observed.
- Eye protection: Safety glasses
- · Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:
- Form:

Liquid

(Contd. on page 4)

(Contd. of page 2)

Printing date 17.05.2016

Version number 3

Revision: 17.05.2016

Trade name: Unifix S3 (Powder)

	(Contd. of page 3)
Colour: · Smell:	Grey Characteristic
 Change in condition Melting point/Melting range Boiling point/Boiling range: 	
· Flash point:	Not applicable
· Self-inflammability:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive.
· Density at 20 °C	1,445 g/cm ³
 Solubility in / Miscibility with Water: 9.2 Other information 	Fully miscible No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification:

1305-62-0 calcium dihydroxide

Oral LD50 7340 mg/kg (rats)

544-17-2 Calciumformiat

Oral LD50 3050 mg/kg (rats)

Dermal LD50 >2000 mg/kg (rats)

Inhalative LC50/4 h >0.67 mg/l (rats)

- Primary irritant effect:
- · Skin corrosion/irritation
- Causes skin irritation. • Serious eye damage/irritation
- Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure
- May cause respiratory irritation.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 5)

GR

Printing date 17.05.2016

Version number 3

Revision: 17.05.2016

Trade name: Unifix S3 (Powder)

(Contd. of page 4)

SECTION 12: Ecol	logical information
------------------	---------------------

- 12.1 Toxicity
- · Aquatic toxicity:

544-17-2 Calciumformiat

LC 0 (96h) 1000 mg/l (Brachydanio rerio)

EC50 (48h) >1000 mg/l (Daphnia magna)

EC50 >1000 mg/l (bacterial toxicity)

- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water.

Do not allow product to reach ground water, water bodies or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

10 00 00 Inorganic wastes from thermal processes

10 12 00 wastes from manufacture of ceramic goods, bricks, tiles and constructions products

- 10 12 03 other particulates and dust
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information		
· 14.1 UN-Number · ADR	Void	
 14.2 UN proper shipping name ADR 	Void	
 14.3 Transport hazard class(es) 		
· ADR · Class	Void	
 14.4 Packing group ADR 	Void	
14.5 Environmental hazards:	Not applicable.	
 14.6 Special precautions for user 	Not applicable.	
		(Contd. on page 6)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.05.2016

Version number 3

Revision: 17.05.2016

(Contd. of page 5)

GP

Trade name: Unifix S3 (Powder)

	(contail of page of	
 14.7 Transport in bulk according to Annex I of Marpol and the IBC Code 	Not applicable.	
· Transport/Additional information:	tion: Not dangerous according to the above specifications.	

· Number/Letter:

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H315 Causes skin irritation.

- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.
- · Department issuing data specification sheet: Environment protection department.

· Contact: Mr. Guido Herfort

 Abbreviations and acronyms:
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1
 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3
 * Data compared to the previous version altered.