

according Annex III of the Regulation (EU) No. 305/2011

## for the product

## ESCOSIL-2000

205590

1. Unique identification code of the product type:

| 2. | Identification :                                                                                             | batch no .: see packaging of the product                                                                                                                                                  |
|----|--------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 3. | Intended use:                                                                                                | 1-component silicone sealant, acetate<br>curing, sealant for use in the sanitary area,<br>Type XS 1, conditioning A, carrier<br>material : glass, pretreatment :<br>OTTO Cleanprimer 1226 |
| 4. | Manufacturer :                                                                                               | Schomburg GmbH & Co. KG<br>Aquafinstrasse 2-8<br>32760 Detmold                                                                                                                            |
| 5. | Authorized representative:                                                                                   | not relevant                                                                                                                                                                              |
| 6. | System or systems of assessment and verification of constancy of performance of the construction product as: | 3 plus 3                                                                                                                                                                                  |

7. Notified test laboratory: The notified testing laboratory SKZ-TeConA GmbH, identification number 1213 performed the determination of the producttype on the basis of type testing under system 3 regarding EN 15651-3:2012-12.

EN 15651-S



## 8. Declared performance :

| Essential characteristic                                                                  | Performance | Harmonised technical spezification |
|-------------------------------------------------------------------------------------------|-------------|------------------------------------|
| Fire behavior                                                                             | Class E     | EN 15651-3:2012-12                 |
| Water and airtightness                                                                    |             |                                    |
| Stability under load                                                                      | ≤ 3 mm      |                                    |
| Volume loss                                                                               | ≤ 10 %      |                                    |
| Tearing strength                                                                          | passed (NF) |                                    |
| Tensile behaviour, i.e. stress expansion under<br>pretensioning after submersion in water | passed (NF) |                                    |
| Microbiological growth                                                                    | 0           | ]                                  |
| Durability                                                                                | passed (NF) |                                    |

The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

## Signed for and on behalf of the manufacturer by:

Wilhelm Kreiling-Dreyer, technician (name and function)

Detmold, 24.06.2014

This declaration of performance was created electronically. It is valid without manual signature.

The current material safety data sheet and technical data sheet is downloadable under

http://www.schomburg.de/de/Sicherheitsdatenblatt-datenblaetter.html

or

http://www.schomburg.de/de/Technisches\_Merkblatt-datenblaetter.html