

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 12.10.2022

Version number 1

Revision: 12.10.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name: THERMOPAL-SR24**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Sector of Use** SU19 Building and construction work
- **Application of the substance / the mixture** Construction chemicals
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
SCHOMBURG GmbH & Co. KG
Aquafinstr. 2-8
D-32760 Detmold
Germany
- Tel: ++49 (0)5231/953-00
Fax: ++49 (0)5231/953-123
email: info@schomburg.de
web: www.schomburg.de
- **Informing department:**
Product Safety Department

- technical information info@maxfrank.de
Safety Data Sheet sicherheitsdatenblatt@maxfrank.de

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



corrosion

Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the GB CLP regulation.
- **Hazard pictograms** GHS05, GHS07
- **Signal word** Danger
- **Hazard-determining components of labelling:**
Cement, portland, chemicals
calcium dihydroxide
Flue dust, portland cement
- **Hazard statements**
H315 Causes skin irritation.
H318 Causes serious eye damage.

(Contd. on page 2)

Trade name: **THERMOPAL-SR24**

(Contd. of page 1)

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

- **Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves / eye protection / face protection.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **2.3 Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterisation: Mixtures**

- **Description:** Product based on cement and mineral filler.

- **Dangerous components:**

CAS: 65997-15-1	Cement, portland, chemicals	10-25%
-----------------	-----------------------------	--------

EINECS: 266-043-4	☞ Eye Dam. 1, H318; ☞ Skin Irrit. 2, H315; Skin Sens. 1B, H317; STOT SE 3, H335	
-------------------	---	--

CAS: 1305-62-0	calcium dihydroxide	2.5-10%
----------------	---------------------	---------

EINECS: 215-137-3	☞ Eye Dam. 1, H318; ☞ Skin Irrit. 2, H315; STOT SE 3, H335	
-------------------	--	--

CAS: 68475-76-3	Flue dust, portland cement	<2.5%
-----------------	----------------------------	-------

EINECS: 270-659-9	☞ Eye Dam. 1, H318; ☞ Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	
-------------------	--	--

- **Additional information**

The chromate content in cement is less than 2 ppm so that the labelling with H317 is not applicable (1907/2006/EG, Annex XVII (47)).

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**

- **General information**

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Personal protection for the First Aider.

It is possible to choke in case of vomiting in unconsciousness.

Bring unconscious persons into a stable position on side.

Keep the respiratory tract free (remove dentures and vomiting).

Check the pulse. In case of heart failure you have to make a cardiac massage. In case of stoppage of breathing: artificial respiration.

Take up a doctor immediately!

- **After inhalation** Supply fresh air or oxygen; call for doctor.

- **After skin contact**

Instantly wash with water and soap and rinse thoroughly.

Wash with water and soap.

After contact, clean the skin mechanical and rinse with water and soap.

- **After eye contact** Rinse opened eye for several minutes under running water. Then consult doctor.

- **After swallowing**

Drink copious amounts of water and provide fresh air. Instantly call for doctor.

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 12.10.2022

Version number 1

Revision: 12.10.2022

Trade name: **THERMOPAL-SR24**

(Contd. of page 2)

- Show the packaging or the label to the doctor.
- **4.2 Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents** Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents**
Water with a full water jet.
Cement
- **5.2 Special hazards arising from the substance or mixture**
No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** Wear self-contained breathing apparatus.
- **Additional information**
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.
Follow the emergency-plan.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Bring persons out of danger.
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:**
Do not allow product to reach sewage system or water bodies.
Inform respective authorities in case product reaches water or sewage system.
The product may not leak out in sewerage system, stretch of water or soil.
- **6.3 Methods and material for containment and cleaning up:**
Ensure adequate ventilation.
Pick up the product mechanically, avoid dust formation.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Prevent formation of dust.
Keep away from children.
- **Information about protection against explosions and fires:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:**
Please follow the rules of the VCI-Storage-Concept for chemicals.
- **Further information about storage conditions:** Keep container tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

GB

(Contd. on page 4)

Trade name: **THERMOPAL-SR24**

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· **Additional information about design of technical systems:**

It must be possible to wash the skin in the working area.
Eye-wash bottle must be available.

· **Components with critical values that require monitoring at the workplace:**

65997-15-1 Cement, portland, chemicals (10-25%)

WEL Long-term value: 10* 4** mg/m³
*inhalable dust **respirable dust

1305-62-0 calcium dihydroxide (2.5-10%)

WEL Short-term value: 4* mg/m³
Long-term value: 5 1* mg/m³
*resprable fraction

· **Additional information:** The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

· **Personal protective equipment**

· **General protective and hygienic measures**

The usual precautionary measures should be adhered to in handling the chemicals.

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Vacuum clean contaminated clothing. Do not blow or brush off contamination.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

Do not eat, drink or smoke while working.

Use skin protection cream for preventive skin protection.

Be sure to clean skin thoroughly after work and before breaks.

· **Breathing equipment:**

In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

· **Protection of hands:** Do not reuse one-way-gloves

· **Material of gloves**

Mechanical protective glove with a coating of PVC or nitrile

Suitable protective gloves have been determined for activities with products containing cement (GISCODES ZP1). Suitable are e.g:

Ampri: SolidSafety Cut 081101 / SolidSafety Tough 081201 / SolidSafetyTough Dots 081202

Ansell: Flexitrit L27 / Fleximax 27 or 35 / Hylite / Nitrotough N210 / Sol-Knit

KCL: Sahara / Gobi / Nitex

MAPA: Duo-Mix 405 / Enduro 328 / Stansolv AK 22 / Titanlite 397 / Titansuperlite

UVEX: uvex Profi Ergo XG 20 / uvex phynomic pro

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** Tightly sealed safety glasses.

· **Body protection:**

Use an Overall of heavy cotton or non-returnable Tyvek/Saranex 23 P vleece.

Contaminated protection clothes must be cleaned carefully before reuse.

Trade name: **THERMOPAL-SR24**

(Contd. of page 4)

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Powder

Colour: grey

· Smell: Characteristic

· Odour threshold: Not determined.

· pH-value at 20 °C: 11.4 (1%)

· Change in condition

Melting point/freezing point: <1,000 °C

Initial boiling point and boiling range: not apply

· Flash point: Not applicable

· Inflammability (solid, gaseous) Not determined.

· Decomposition temperature: Not determined.

· Self-inflammability: Product is not selfigniting.

· Explosive properties: Product is not explosive.

· Critical values for explosion:

Lower: Not determined.

Upper: Not determined.

· Steam pressure: Not applicable.

· Density bulk density

· Settled apparent density 0.9-1.2 kg/m³

· Relative density Not determined.

· Vapour density Not applicable.

· Evaporation rate Not applicable.

· Solubility in / Miscibility with

Water: miscible

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

dynamic: Not applicable.

kinematic: Not applicable.

· 9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

· Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions No dangerous reactions known

· 10.4 Conditions to avoid No further relevant information available.

· 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known

GB

(Contd. on page 6)

Trade name: **THERMOPAL-SR24**

(Contd. of page 5)

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
 - **Acute toxicity** Based on available data, the classification criteria are not met.
 - **LD/LC50 values that are relevant for classification:**
-
- 1305-62-0 calcium dihydroxide**
- | | | |
|--------|------|-------------------------------|
| Oral | LD50 | 7,340 mg/kg (rats) |
| Dermal | LD50 | >2,500 mg/kg (Kan) (OECD 402) |
- 68475-76-3 Flue dust, portland cement**
- | | | |
|------------|----------|--------------------------------|
| Oral | LD50 | >1,848 mg/kg (rats) (OECD 422) |
| Dermal | LD50 | >2,000 mg/kg (rats) (OECD 402) |
| Inhalative | LC50/4 h | >6.04 mg/l (rats) (OECD 436) |
- **Primary irritant effect:**
 - **Skin corrosion/irritation**
The product has an irritate-effect.
Causes skin irritation.
 - **Serious eye damage/irritation**
Causes serious eye damage.
 - **Respiratory or skin sensitisation**
May cause an allergic skin reaction.
 - **Additional toxicological information:**
 - **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
 - **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
 - **Carcinogenicity** Based on available data, the classification criteria are not met.
 - **Reproductive toxicity** Based on available data, the classification criteria are not met.
 - **STOT-single exposure**
May cause respiratory irritation.
 - **STOT-repeated exposure** Based on available data, the classification criteria are not met.
 - **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- **12.1 Toxicity**
 - **Aquatic toxicity:**
-
- 1305-62-0 calcium dihydroxide**
- EC50 (48h) 49.1 mg/l (Daphnia magna)
- **12.2 Persistence and degradability** No further relevant information available.
 - **12.3 Bioaccumulative potential** No further relevant information available.
 - **12.4 Mobility in soil** No further relevant information available.
 - **Additional ecological information:**
 - **General notes:**
Water hazard class 1 (Self-assessment): slightly hazardous for water.
Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.
 - **12.5 Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.
 - **12.6 Other adverse effects** No further relevant information available.

GB

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 12.10.2022

Version number 1

Revision: 12.10.2022

Trade name: **THERMOPAL-SR24**

(Contd. of page 6)

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleaning agent:** Water, if necessary with cleaning agent.

SECTION 14: Transport information

- | | |
|---|-----------------|
| · 14.1 UN-Number
· ADR, IMDG, IATA | Void |
| · 14.2 UN proper shipping name
· ADR, IMDG, IATA | Void |
| · 14.3 Transport hazard class(es)
· ADR, ADN, IMDG, IATA
· Class | Void |
| · 14.4 Packing group
· ADR, IMDG, IATA | Void |
| · 14.5 Environmental hazards: | Not applicable. |
| · 14.6 Special precautions for user | Not applicable. |
| · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code | Not applicable. |
| · UN "Model Regulation": | Void |

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
H302 Harmful if swallowed.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.
- **Department issuing data specification sheet:** Department EHS (Environment-Health-Safety)
- **Contact:** Department EHS (Environment-Health-Safety)
- **Abbreviations and acronyms:**
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 12.10.2022

Version number 1

Revision: 12.10.2022

Trade name: THERMOPAL-SR24

(Contd. of page 7)

IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Skin Sens. 1: Skin sensitisation – Category 1
Skin Sens. 1B: Skin sensitisation – Category 1B
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· * **Data compared to the previous version altered.**

GB