- GB



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.03.2015

Version number 7

Revision: 09.03.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking
· 1.1 Product identifier
· Trade name: ASO-EZ4-Plus
 Article number: 205528 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Ready-mixed mortar
 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: SCHOMBURG GmbH Aquafinstr. 2-8 D-32760 Detmold Germany
Tel: ++49 (0)5231/953-00 Fax: ++49 (0)5231/953-123 email: info@schomburg.de web: www.schomburg.de
 Informing department: Product Safety Department
Tel: ++49 (0)5231/953-193 Fax: ++49 (0)5231/953-106 email: guido.herfort@schomburg.de
SECTION 2: Hazards identification
 · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008
- Classification according to Regulation (EC) No 1272/2008
Classification according to Regulation (EC) No 1272/2008 GHS05 corrosion
 Classification according to Regulation (EC) No 1272/2008 GHS05 corrosion Eye Dam. 1 H318 Causes serious eye damage. Classification according to Directive 67/548/EEC or Directive 1999/45/EC Xi; Irritant R41: Risk of serious damage to eyes.
 Classification according to Regulation (EC) No 1272/2008 GHS05 corrosion Eye Dam. 1 H318 Causes serious eye damage. Classification according to Directive 67/548/EEC or Directive 1999/45/EC Xi; Irritant
 Classification according to Regulation (EC) No 1272/2008 GHS05 corrosion Eye Dam. 1 H318 Causes serious eye damage. Classification according to Directive 67/548/EEC or Directive 1999/45/EC Xi; Irritant R41: Risk of serious damage to eyes. Classification system: The classification is in line with current EC lists. It is expanded, however, by information from
 Classification according to Regulation (EC) No 1272/2008 GHS05 corrosion Eye Dam. 1 H318 Causes serious eye damage. Classification according to Directive 67/548/EEC or Directive 1999/45/EC Xi; Irritant R41: Risk of serious damage to eyes. Classification system: The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS05 Signal word Danger Hazard-determining components of labelling: Cement, portland, chemicals Hazard statements H318 Causes serious eye damage. Precautionary statements
 Classification according to Regulation (EC) No 1272/2008 GHS05 corrosion Eye Dam. 1 H318 Causes serious eye damage. Classification according to Directive 67/548/EEC or Directive 1999/45/EC Xi; Irritant R41: Risk of serious damage to eyes. Classification system: The classification system: The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS05 Signal word Danger Hazard-determining components of labelling: Cement, portland, chemicals Hazard statements H318 Causes serious eye damage.

Printing date 09.03.2015

Version number 7

Revision: 09.03.2015

Trade name: ASO-EZ4-Plus

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Chemical characterisation: Mixtures
- **Description:** Product based on cement and mineral filler.
- · Dangerous components:
- CAS: 65997-15-1 Cement, portland, chemicals EINECS: 266-043-4 💥 Xi R37/38-41; 💥 Xi R43

10-25%

- 📀 Eye Dam. 1, H318; 🚸 Skin Irrit. 2, H315; STOT SE 3, H335
- Additional information The chromate content in cement is less than 2 ppm so that the rating of the relevant phrase no. 43 is not applicable.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information Personal protection for the First Aider.
- · After inhalation Supply fresh air; consult doctor in case of symptoms.
- After skin contact Instantly wash with water and soap and rinse thoroughly.
- After eye contact
- Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.
- After swallowing Drink copious amounts of water and provide fresh air. Instantly call for doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents Use fire fighting measures that suit the environment. Product is not inflammable.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained breathing apparatus.
- · Additional information Follow the emergency-plan.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing. Avoid causing dust.
- 6.2 Environmental precautions: Do not allow to enter drainage system, surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
- Ensure adequate ventilation.
- Do not flush with water or aqueous cleansing agents
- Pick up the product mechanically, avoid dust formation.

(Contd. on page 3)

GB

(Contd. of page 1)

Printing date 09.03.2015

Version number 7

Revision: 09.03.2015

(Contd. of page 2)

Trade name: ASO-EZ4-Plus

• 6.4 Reference to other sections See Section 8 for information on personal protection equipment.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of dust.

· Information about protection against explosions and fires: No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers: Keep dry.

• Information about storage in one common storage facility: Please follow the rules of the VCI-Storage-Concept for chemicals.

• Further information about storage conditions: Keep container tightly sealed.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical systems: It must be possible to wash the skin in the working area.
 Eye-wash bottle must be available.
 No further data; see item 7 MSDS.
- · 8.1 Control parameters
- Components with critical values that require monitoring at the workplace:

65997-15-1 Cement, portland, chemicals (10-25%)

WEL Long-term value: 10* 4** mg/m³

*inhalable dust **respirable dust

• Additional information: The lists that were valid during the compilation were used as basis.

- 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals. Be sure to clean skin thoroughly after work and before breaks. Avoid contact with the eyes and skin.

Vacuum clean contaminated clothing. Do not blow or brush off contamination.

- Breathing equipment: Use respiratory protective equipment at formation of dust.
- Protection of hands: Hand Protection: Nitril-rubber-latex-gloves.
- Material of gloves Butyl rubber II R: Thickness ≥ 0.5 mm; Break through time ≥ 480 min
- Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Safety glasses
- · Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- General Information
- Appearance: Form:

Powder

(Contd. on page 4)

GB

Printing date 09.03.2015

Version number 7

Revision: 09.03.2015

Trade name: ASO-EZ4-Plus

		(Contd. of page 3)
Colour: · Smell:	Grey Characteristic	
 Change in condition Melting point/Melting range Boiling point/Boiling range 		
· Flash point:	Not applicable	
· Self-inflammability:	Product is not selfigniting.	
· Danger of explosion:	Product is not explosive.	
· Density		
Settled apparent density	1,850 kg/dm ³	
 Solubility in / Miscibility with Water: 9.2 Other information 	miscible No further relevant information available.	

SECTION 10: Stability and reactivity

- 10.1 Reactivity
- · 10.2 Chemical stability
- \cdot Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification: No dates existing.
- · Primary irritant effect:
- on the skin: Irritant for skin and mucous membranes.
- · on the eye: Irritant effect.
- Sensitisation: No sensitizing effect known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version: Irritant

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water.

Do not allow product to reach ground water, water bodies or sewage system.

(Contd. on page 5)

⁻ GB

Printing date 09.03.2015

Version number 7

Revision: 09.03.2015

Trade name: ASO-EZ4-Plus

- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · European waste catalogue
- 10 00 00 WASTES FROM THERMAL PROCESSES
- 10 12 00 wastes from manufacture of ceramic goods, bricks, tiles and construction products
- 10 12 03 particulates and dust
- 17 00 00 CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES)
- 17 01 00 concrete, bricks, tiles and ceramics

17 01 01 concrete

· Uncleaned packagings:

- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleaning agent: Water, if necessary with cleaning agent.

Void	
Void	
Void	
Void	
Not applicable.	
Not applicable.	
Not applicable.	
Not dangerous according to the above specifications.	
-	
	Void Void Void Void Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.

(Contd. on page 6)

(Contd. of page 4)

Printing date 09.03.2015

Version number 7

Revision: 09.03.2015

Trade name: ASO-EZ4-Plus

(Contd. of page 5)

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.

R37/38 Irritating to respiratory system and skin.

- R41 Risk of serious damage to eyes.
- R43 May cause sensitisation by skin contact.
- · Department issuing data specification sheet: Environment protection department.
- · Contact: Mr. Guido Herfort
- Abbreviations and acronyms:
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1
 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3
 * Data compared to the previous version altered.

GB