

according to 1907/2006/EC, Article 31

Printing date 12.03.2015 Version number 12 Revision: 12.03.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

· Trade name: ESCOSIL-2000-UW

· Article number: 205591

- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Spacings sealent
- · 1.3 Details of the supplier of the safety data sheet

 Manufacturer/Supplier: SCHOMBURG GmbH Aquafinstr. 2-8 D-32760 Detmold Germany

Tel: ++49 (0)5231/953-00 Fax: ++49 (0)5231/953-123 email: info@schomburg.de web: www.schomburg.de

Informing department:
 Product Safety Department

Tel: ++49 (0)5231/953-193 Fax: ++49 (0)5231/953-106

email: guido.herfort@schomburg.de

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008
 The product is not classified according to the CLP regulation.
- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC void
- Information concerning particular hazards for human and environment:

The product may not leak out in sewerage system, stretch of water or soil.

· Classification system:

The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies.

- Additional information: Contains biozide substance Carbendazim against mould
- 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Precautionary statements

P271 Use only outdoors or in a well-ventilated area.

Additional information:

Safety data sheet available on request.

- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Chemical characterisation: Mixtures
- **Description:** Preparation based on Polydimethylsiloxan, filler, additives and Oximosilan-interlinks.

(Contd. on page 2)

according to 1907/2006/EC, Article 31

Version number 12 Revision: 12.03.2015 Printing date 12.03.2015

Trade name: ESCOSIL-2000-UW

(Contd. of page 1)

Dangerous components:

37859-55-5 O, O', O"-(methylsilylidyne)trioxime 2-pentanone

< 2.5%

Xn R22-48/22

🐼 STOT RE 2, H373; 伙 Acute Tox. 4, H302; Eye Irrit. 2, H319

37859-57-7 Oximo Silan

< 2.5%

🗶 Xn R22-48

R53

Acute Tox. 4, H302; Aquatic Chronic 4, H413

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information Personal protection for the First Aider.
- · After inhalation Keep the person at fresh air.
- · After skin contact After contact, clean the skin mechanical and rinse with water and soap.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing

Drink copious amounts of water. Avert vomiting. Instantly call for doctor.

Show the pack or the label to the doctor.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

- · For safety reasons unsuitable extinguishing agents Water with a full water jet.
- · 5.2 Special hazards arising from the substance or mixture

Formation of poisonous gases during heating or in fires.

- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained breathing apparatus.
- · Additional information Follow the emergency-plan.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.
- 6.3 Methods and material for containment and cleaning up: Collect mechanically.
- 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Keep away from children.

· Information about protection against explosions and fires: No special measures required.

(Contd. on page 3)

according to 1907/2006/EC, Article 31

Printing date 12.03.2015 Version number 12 Revision: 12.03.2015

Trade name: ESCOSIL-2000-UW

(Contd. of page 2)

• 7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and containers:

Containers must be stored thick closed at a cool, ventilated place.

Information about storage in one common storage facility:

Please follow the rules of the VCI-Storage-Concept for chemicals.

· Further information about storage conditions:

Store in a locked cabinet and out of the reach of children.

Do not store in restrooms or dining-rooms.

Protect from frost.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical systems:

It must be possible to wash the skin in the working area.

Eye-wash bottle must be available.

- 8.1 Control parameters
- · Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the compilation were used as basis.
- 8.2 Exposure controls
- · Personal protective equipment
- General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals.

Avoid contact with eyes and skin. Change clothes which heavy contaminate with the product.

Be sure to clean skin thoroughly after work and before breaks.

- · Breathing equipment: Not required.
- · Protection of hands: Hand Protection: Nitril-rubber-latex-gloves.
- · Material of gloves

Butyl rubber II R: Thickness ≥ 0,5mm; Break through time ≥ 480 min

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

· Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- · General Information

· Appearance:

Form: Pasty

Colour: According to product specification

· Smell: Characteristic

· Change in condition

Melting point/Melting range: Not determined Boiling point/Boiling range: Not determined

· Flash point: Not applicable

· **Self-inflammability:** Product is not selfigniting.

(Contd. on page 4)

according to 1907/2006/EC, Article 31

Printing date 12.03.2015 Version number 12 Revision: 12.03.2015

Trade name: ESCOSIL-2000-UW

(Contd. of page 3)

• **Danger of explosion:** Product is not explosive.

· Density at 20 °C 1.05 g/cm³

· Solubility in / Miscibility with

Water: Unsoluble

• 9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification: No dates existing.
- · Primary irritant effect:
- · on the skin: Irritant for skin and mucous membranes.
- · on the eye: Irritate-effect is possible.
- · Sensitisation: After longer exposition sensitization by skin contact or breath in is possible.
- Other information (about experimental toxicology):

Under the influence of dampness the product splits a low amount of Butanon-2oxim (96-29-7). This irritate the skin, mucous membrane and can cause strong sensitize. Please don't breathe in this substance in high concentrations and continual strain, because then a damage of the health can't get out. After the cure the material is scentless and harmless.

· Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

C P

according to 1907/2006/EC, Article 31

Printing date 12.03.2015 Version number 12 Revision: 12.03.2015

Trade name: ESCOSIL-2000-UW

(Contd. of page 4)

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- · Recommendation Smaller quantities can be disposed with household garbage.
- · European waste catalogue

08 00 00 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS

08 04 00 wastes from MFSU of adhesives and sealants (including waterproofing products)

08 04 09 waste adhesives and sealants containing organic solvents or other dangerous substances

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	
· 14.1 UN-Number · ADR	Void
· 14.2 UN proper shipping name · ADR	Void
· 14.3 Transport hazard class(es)	
· ADR · Class	Void
· 14.4 Packing group · ADR	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Annex of MARPOL73/78 and the IBC Code	x II Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · National regulations
- · Water hazard class:

Water hazard class 1 (Self-assessment): slightly hazardous for water.

The classification based on german instructions.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

(Contd. on page 6)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.03.2015 Version number 12 Revision: 12.03.2015

Trade name: ESCOSIL-2000-UW

(Contd. of page 5)

H373 May cause damage to organs through prolonged or repeated exposure.

H413 May cause long lasting harmful effects to aquatic life.

R22 Harmful if swallowed.

R48 Danger of serious damage to health by prolonged exposure.

R48/22 Harmful: danger of serious damage to health by prolonged exposure if swallowed.

R53 May cause long-term adverse effects in the aquatic environment.

- Department issuing data specification sheet: Environment protection department.
- · Contact: Mr. Guido Herfort
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Acute Tox. 4: Acute toxicity, Hazard Category 4
Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

Aquatic Chronic 4: Hazardous to the aquatic environment - Chronic Hazard, Category 4

· * Data compared to the previous version altered.