

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 04.05.2016

Version number 7

Revision: 04.05.2016

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- **1.1 Product identifier**
- **Trade name: GEPOTECH 11/30 (A-Komp.)**
- **Article number: 555222**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** Sealing
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
SCHOMBURG GmbH & Co. KG  
Aquafinstr. 2-8  
D-32760 Detmold  
Germany  
-----  
Tel: ++49 (0)5231/953-00  
Fax: ++49 (0)5231/953-123  
email: info@schomburg.de  
web: www.schomburg.de
- **Informing department:**  
Product Safety Department  
  
Tel: ++49 (0)5231/953-193  
Fax: ++49 (0)5231/953-106  
email: guido.herfort@schomburg.de

**SECTION 2: Hazards identification**

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS08 health hazard

STOT RE 2      H373 May cause damage to organs through prolonged or repeated exposure.



GHS05 corrosion

 Skin Corr. 1B      H314 Causes severe skin burns and eye damage.  
 Eye Dam. 1      H318 Causes serious eye damage.


GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Acute Tox. 4      H302 Harmful if swallowed.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms** GHS05, GHS07, GHS08, GHS09
- **Signal word** Danger

(Contd. on page 2)

**Trade name: GEPOTECH 11/30 (A-Komp.)**

(Contd. of page 1)

- **Hazard-determining components of labelling:**  
O,O-Bis(2-aminopropyl)polypropyleneglycol  
diethylmethylenediamine
- **Hazard statements**  
H302 Harmful if swallowed.  
H314 Causes severe skin burns and eye damage.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H411 Toxic to aquatic life with long lasting effects.
- **Precautionary statements**  
P273 Avoid release to the environment.  
P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

**SECTION 3: Composition/information on ingredients**

- **3.2 Chemical characterisation: Mixtures**
  - **Description:** Preparation based on Polyamines.
  - **Dangerous components:**
- |                                      |  |         |
|--------------------------------------|--|---------|
| CAS: 9046-10-0                       | O,O-Bis(2-aminopropyl)polypropyleneglycol<br>⚠ Skin Corr. 1B, H314; Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302;<br>Acute Tox. 4, H312; Aquatic Chronic 3, H412   | 50-100% |
| CAS: 68479-98-1<br>EINECS: 270-877-4 | diethylmethylenediamine<br>⚠ STOT RE 2, H373; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312; Eye Irrit. 2, H319 | 10-25%  |
- **Additional information** For the wording of the listed risk phrases refer to section 16.

**SECTION 4: First aid measures**

- **4.1 Description of first aid measures**
- **General information**  
Instantly remove any clothing soiled by the product.  
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.  
Personal protection for the First Aider.  
It is possible to choke in case of vomiting in unconsciousness.  
Bring unconscious persons into a stable position on side.  
Keep the respiratory tract free (remove dentures and vomiting).  
Check the pulse. In case of heart failure you have to make a cardiac massage. In case of stoppage of breathing: artificial respiration.  
Take up a doctor immediately!
- **After inhalation** Supply fresh air or oxygen; call for doctor.
- **After skin contact**  
Instantly wash with water and soap and rinse thoroughly.  
Change immediately contaminated clothes.
- **After eye contact** Rinse opened eye for several minutes under running water. Then consult doctor.

(Contd. on page 3)

**Trade name: GEPOTECH 11/30 (A-Komp.)**

(Contd. of page 2)

- **After swallowing**  
Drink copious amounts of water and provide fresh air. Instantly call for doctor.  
Show the pack or the label to the doctor.
- **4.2 Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents**  
CO<sub>2</sub>, extinguishing powder or water jet. Fight larger fires with water jet.
- **5.2 Special hazards arising from the substance or mixture**  
Formation of poisonous gases during heating or in fires.
- **5.3 Advice for firefighters**
- **Protective equipment:** Wear self-contained breathing apparatus.
- **Additional information**  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.  
Follow the emergency-plan.  
Burst- and explosion-danger by increasing pressure.  
In case of fire chill the container with water spray.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Bring persons out of danger.  
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:** Do not allow product to reach sewage system or water bodies.
- **6.3 Methods and material for containment and cleaning up:**  
Ensure adequate ventilation.  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for information on disposal.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.  
Keep away from children.
- **Information about protection against explosions and fires:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:**  
Please follow the rules of the VCI-Storage-Concept for chemicals.
- **Further information about storage conditions:**  
Keep container tightly sealed.  
Store in a locked cabinet and out of the reach of children.
- **7.3 Specific end use(s)** No further relevant information available.

GB

(Contd. on page 4)

Trade name: **GEPOTECH 11/30 (A-Komp.)**

(Contd. of page 3)

### SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical systems:**  
It must be possible to wash the skin in the working area.  
Eye-wash bottle must be available.
- **8.1 Control parameters**
- **Components with critical values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the compilation were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures**  
The usual precautionary measures should be adhered to in handling the chemicals.  
Instantly remove any soiled and impregnated garments.  
Do not inhale gases / fumes / aerosols.  
Avoid contact with the eyes and skin.  
Be sure to clean skin thoroughly after work and before breaks.
- **Breathing equipment:** Self-contained breathing apparatus.
- **Protection of hands:** Hand Protection: Nitril-rubber-latex-gloves.
- **Material of gloves**  
Butyl rubber II R: Thickness  $\geq 0,5\text{mm}$ ; Break through time  $\geq 480$  min
- **Penetration time of glove material**  
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Safety glasses
- **Body protection:**  
Use an Overall of heavy cotton or non-returnable Tyvek/Saranex 23 P vleece.  
Contaminated protection clothes must be cleaned carefully before reuse.

### SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Fluid
Colour:	According to product specification
Smell:	Type specific
- **Change in condition**

Melting point/Melting range:	Not determined
Boiling point/Boiling range:	Not determined
- **Flash point:** Not applicable
- **Self-inflammability:** Product is not selfigniting.
- **Danger of explosion:** Product is not explosive.
- **Density at 20 °C** 0,969 g/cm<sup>3</sup>
- **Solubility in / Miscibility with**
- **Water:** Not miscible or difficult to mix
- **9.2 Other information** No further relevant information available.

GB

(Contd. on page 5)

Trade name: **GEPOTECH 11/30 (A-Komp.)**

(Contd. of page 4)

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
  - **Acute toxicity**  
Harmful if swallowed.
  - **LD/LC50 values that are relevant for classification:**
- 
- 9046-10-0 O,O-Bis(2-aminopropyl)polypropyleneglycol**  
Oral LD50 1100 mg/kg (rats)  
Dermal LD50 1555 mg/kg (rabbit)
- 68479-98-1 diethylmethylbenzenediamine**  
Oral LD50 >500 mg/kg (rats)  
Dermal LD50 >2000 mg/kg (rats)
- **Primary irritant effect:**
  - **Skin corrosion/irritation**  
Causes severe skin burns and eye damage.
  - **Serious eye damage/irritation**  
Causes serious eye damage.
  - **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
  - **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
  - **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
  - **Carcinogenicity** Based on available data, the classification criteria are not met.
  - **Reproductive toxicity** Based on available data, the classification criteria are not met.
  - **STOT-single exposure** Based on available data, the classification criteria are not met.
  - **STOT-repeated exposure**  
May cause damage to organs through prolonged or repeated exposure.
  - **Aspiration hazard** Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

- **12.1 Toxicity**
  - **Aquatic toxicity:**
- 
- 9046-10-0 O,O-Bis(2-aminopropyl)polypropyleneglycol**  
LC50/96h >100 mg/l (fish toxicity)  
EC50 (48h) 15 mg/l (Daphnia magna)
- **12.2 Persistence and degradability** No further relevant information available.
  - **12.3 Bioaccumulative potential** No further relevant information available.
  - **12.4 Mobility in soil** No further relevant information available.
  - **Ecotoxicological effects:**
  - **Remark:** Toxic for fish
  - **Additional ecological information:**
  - **General notes:** Water hazard class 2 (Self-assessment): hazardous for water.
  - **12.5 Results of PBT and vPvB assessment**
  - **PBT:** Not applicable.

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 04.05.2016

Version number 7

Revision: 04.05.2016

Trade name: **GEPOTECH 11/30 (A-Komp.)**




(Contd. of page 5)

- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **European waste catalogue**  
08 00 00 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS  
08 01 00 wastes from MFSU and removal of paint and varnish  
08 01 11\* waste paint and varnish containing organic solvents or other dangerous substances
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

### SECTION 14: Transport information

- **14.1 UN-Number**  
· **ADR, IMDG, IATA** UN2735
- **14.2 UN proper shipping name**  
· **ADR** 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (Polyoxypropylendiamin), ENVIRONMENTALLY HAZARDOUS  
· **IMDG** AMINES, LIQUID, CORROSIVE, N.O.S. (Polyoxypropylendiamin), MARINE POLLUTANT  
· **IATA** AMINES, LIQUID, CORROSIVE, N.O.S. (Polyoxypropylendiamin)
- **14.3 Transport hazard class(es)**  
· **ADR, IMDG**  
   
· **Class** 8 Corrosive substances.  
· **Label** 8
- **IATA**  
  
· **Class** 8 Corrosive substances.  
· **Label** 8
- **14.4 Packing group**  
· **ADR, IMDG, IATA** III
- **14.5 Environmental hazards:**  
· **Marine pollutant:** No  
Symbol (fish and tree)

(Contd. on page 7)

GB

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 04.05.2016

Version number 7

Revision: 04.05.2016

Trade name: **GEPOTECH 11/30 (A-Komp.)**

(Contd. of page 6)

· <b>Special marking (ADR):</b>	Symbol (fish and tree)
· <b>14.6 Special precautions for user</b>	Warning: Corrosive substances.
· <b>Kemler Number:</b>	80
· <b>EMS Number:</b>	F-A,S-B
· <b>Segregation groups</b>	Alkalis
· <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	
· <b>ADR</b>	
· <b>Limited quantities (LQ)</b>	5L
· <b>Transport category</b>	3
· <b>Tunnel restriction code</b>	E
· <b>UN "Model Regulation":</b>	UN2735, AMINES, LIQUID, CORROSIVE, N.O.S. (O,O-Bis(2-aminopropyl)polypropyleneglycol), ENVIRONMENTALLY HAZARDOUS, 8, III

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **National regulations**
- **Water hazard class:**  
Water hazard class 2 (Self-assessment): hazardous for water.  
The classification based on german instructions.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**  
H302 Harmful if swallowed.  
H312 Harmful in contact with skin.  
H314 Causes severe skin burns and eye damage.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.  
H412 Harmful to aquatic life with long lasting effects.
- **Department issuing data specification sheet:** Environment protection department.
- **Contact:** Mr. Guido Herfort
- **Abbreviations and acronyms:**  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative

(Contd. on page 8)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 04.05.2016

Version number 7

Revision: 04.05.2016

**Trade name: GEPOTECH 11/30 (A-Komp.)**

(Contd. of page 7)

Acute Tox. 4: Acute toxicity, Hazard Category 4  
Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B  
Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1  
Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2  
STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2  
Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1  
Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1  
Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2  
Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

• \* **Data compared to the previous version altered.**

GB