GB




Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.03.2015

Version number 12

Revision: 13.03.2015



Version number 12

Revision: 13.03.2015

Trade name: INDUCRET-VK 100 (EP)

		td. of page 1)
· Hazard staten		
	severe skin burns and eye damage.	
	se respiratory irritation.	
 Precautionary P260 		
P280	Do not breathe dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protectio	'n
	353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated c Rinse skin with water/shower.	
P305+P351+P	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove c lenses, if present and easy to do. Continue rinsing.	contact
P405	Store locked up.	
P501	Dispose of contents/container in accordance with local/regional/nationa international regulations.	al/
· 2.3 Other haza	ards	
	T and vPvB assessment	
• PBT: Not appli		
• vPvB: Not app	blicable.	
	Composition/information on ingredients	
	characterisation: Mixtures	
 Description: F 	Product based on cement and mineral filler.	
· Dangerous co	omponents:	
	5-1 Cement, portland, chemicals	25-50%
	043-4 🗙 Xi R37/38-41; 🗙 Xi R43	£0-00 /0
	♦ Eye Dam. 1, H318; () Skin Irrit. 2, H315; STOT SE 3, H335	
 Additional inference 		
	ormation	se no. 43 is
	ormation content is less than 2 ppm so that the rating of the relevant phras	se no. 43 is
The chromate	ormation content is less than 2 ppm so that the rating of the relevant phras	se no. 43 is
The chromate not applicable.	ormation content is less than 2 ppm so that the rating of the relevant phras	se no. 43 is
The chromate not applicable. SECTION 4: F	ormation content in cement is less than 2 ppm so that the rating of the relevant phras	se no. 43 is
The chromate not applicable. SECTION 4: F • 4.1 Descriptio	ormation for a content in cement is less than 2 ppm so that the rating of the relevant phras	se no. 43 is
The chromate not applicable. SECTION 4: F · 4.1 Descriptio · General inforr	ormation for the relevant phrase content in cement is less than 2 ppm so that the rating of the relevant phrase content in cement is less than 2 ppm so that the rating of the relevant phrase content in cement is less than 2 ppm so that the rating of the relevant phrase content in cement is less than 2 ppm so that the rating of the relevant phrase content in cement is less than 2 ppm so that the rating of the relevant phrase content in cement is less than 2 ppm so that the rating of the relevant phrase content in cement is less than 2 ppm so that the rating of the relevant phrase content in cement is less than 2 ppm so that the rating of the relevant phrase content is less than 2 ppm so that the rating of the relevant phrase content is less than 2 ppm so that the rating of the relevant phrase content is less than 2 ppm so that the rating of the relevant phrase content is less than 2 ppm so that the rating of the relevant phrase content is less than 2 ppm so that the rating of the relevant phrase content is less than 2 ppm so that the rating of the relevant phrase content is less than 2 ppm so that the rating of the relevant phrase content is less than 2 ppm so that the rating of the relevant phrase content is less than 2 ppm so that the rating of the relevant phrase content is less than 2 ppm so that the rating of the relevant phrase content is less than 2 ppm so that the rating of the relevant phrase content is less than 2 ppm so that the rating of the relevant phrase content is less than 2 ppm so that the rating of the rating of the relevant phrase content phrase conte	se no. 43 is
The chromate not applicable. SECTION 4: F · 4.1 Descriptio · General inforr · After inhalatio	ormation content in cement is less than 2 ppm so that the rating of the relevant phras first aid measures on of first aid measures mation Personal protection for the First Aider. on Supply fresh air; consult doctor in case of symptoms.	se no. 43 is
The chromate not applicable. SECTION 4: F • 4.1 Descriptio • General inforr • After inhalatio • After skin con	ormation content in cement is less than 2 ppm so that the rating of the relevant phras first aid measures on of first aid measures mation Personal protection for the First Aider. on Supply fresh air; consult doctor in case of symptoms. ntact Instantly wash with water and soap and rinse thoroughly.	se no. 43 is
The chromate not applicable. SECTION 4: F · 4.1 Descriptio · General inforr · After inhalatio · After skin con · After eye cont	ormation content in cement is less than 2 ppm so that the rating of the relevant phras first aid measures on of first aid measures mation Personal protection for the First Aider. on Supply fresh air; consult doctor in case of symptoms. ntact Instantly wash with water and soap and rinse thoroughly. tact	
The chromate not applicable. SECTION 4: F • 4.1 Descriptio • General inforr • After inhalatio • After skin con • After eye cont Rinse opened	content in cement is less than 2 ppm so that the rating of the relevant phrase First aid measures on of first aid measures mation Personal protection for the First Aider. on Supply fresh air; consult doctor in case of symptoms. htact Instantly wash with water and soap and rinse thoroughly. tact eye for several minutes under running water. If symptoms persist, consult do	
The chromate not applicable. SECTION 4: F • 4.1 Descriptio • General inforr • After inhalatio • After skin con • After eye cont Rinse opened • After swallow	content in cement is less than 2 ppm so that the rating of the relevant phrase First aid measures on of first aid measures mation Personal protection for the First Aider. on Supply fresh air; consult doctor in case of symptoms. htact Instantly wash with water and soap and rinse thoroughly. tact eye for several minutes under running water. If symptoms persist, consult d ing	octor.
The chromate not applicable. SECTION 4: F • 4.1 Descriptio • General inforr • After inhalatio • After skin con • After eye cont Rinse opened • After swallow Rinse out mou	content in cement is less than 2 ppm so that the rating of the relevant phrase First aid measures In of first aid measures mation Personal protection for the First Aider. On Supply fresh air; consult doctor in case of symptoms. Intact Instantly wash with water and soap and rinse thoroughly. Itact eye for several minutes under running water. If symptoms persist, consult d ing th, don't drink water or eat something. Do not give household remedys (mill	octor.
The chromate not applicable. SECTION 4: F • 4.1 Descriptio • General inforr • After inhalatio • After skin con • After eye cont Rinse opened • • After swallow Rinse out mour etc.). Avert vor	ormation content in cement is less than 2 ppm so that the rating of the relevant phrase first aid measures mation Personal protection for the First Aider. on Supply fresh air; consult doctor in case of symptoms. ntact Instantly wash with water and soap and rinse thoroughly. tact eye for several minutes under running water. If symptoms persist, consult d ing th, don't drink water or eat something. Do not give household remedys (mill niting. Have medical treatment.	octor.
The chromate not applicable. SECTION 4: F • 4.1 Descriptio • General inforr • After inhalatio • After skin con • After skin con • After swallow Rinse opened • • After swallow Rinse out mour etc.). Avert vor	content in cement is less than 2 ppm so that the rating of the relevant phrase First aid measures In of first aid measures mation Personal protection for the First Aider. On Supply fresh air; consult doctor in case of symptoms. Intact Instantly wash with water and soap and rinse thoroughly. Itact eye for several minutes under running water. If symptoms persist, consult d ing th, don't drink water or eat something. Do not give household remedys (mill- miting. Have medical treatment. ortant symptoms and effects, both acute and delayed	octor.
The chromate not applicable. SECTION 4: F • 4.1 Descriptio • General inforr • After inhalatio • After skin con • After skin con • After swallow Rinse opened • • After swallow Rinse out mou etc.). Avert vor • 4.2 Most impo No further relev	ormation content in cement is less than 2 ppm so that the rating of the relevant phrase in of first aid measures mation Personal protection for the First Aider. On Supply fresh air; consult doctor in case of symptoms. Natect Instantly wash with water and soap and rinse thoroughly. Natect eye for several minutes under running water. If symptoms persist, consult d ing th, don't drink water or eat something. Do not give household remedys (mill- miting. Have medical treatment. Ortant symptoms and effects, both acute and delayed vant information available.	octor.
The chromate not applicable. SECTION 4: F • 4.1 Descriptio • General inforr • After inhalatio • After skin con • After skin con • After swallow Rinse opened • After swallow Rinse out mou etc.). Avert vor • 4.2 Most impo No further relev • 4.3 Indication	content in cement is less than 2 ppm so that the rating of the relevant phrase First aid measures In of first aid measures mation Personal protection for the First Aider. On Supply fresh air; consult doctor in case of symptoms. Intact Instantly wash with water and soap and rinse thoroughly. Itact eye for several minutes under running water. If symptoms persist, consult d ing th, don't drink water or eat something. Do not give household remedys (mill- miting. Have medical treatment. ortant symptoms and effects, both acute and delayed	octor.
The chromate not applicable. SECTION 4: F • 4.1 Descriptio • General inforr • After inhalatio • After skin con • After skin con • After swallow Rinse opened • After swallow Rinse out mou etc.). Avert vor • 4.2 Most impo No further relev • 4.3 Indication	ormation content in cement is less than 2 ppm so that the rating of the relevant phras in of first aid measures mation Personal protection for the First Aider. On Supply fresh air; consult doctor in case of symptoms. Natect Instantly wash with water and soap and rinse thoroughly. Natect eye for several minutes under running water. If symptoms persist, consult d ing th, don't drink water or eat something. Do not give household remedys (mill- miting. Have medical treatment. Ortant symptoms and effects, both acute and delayed vant information available. of any immediate medical attention and special treatment needed	octor.
The chromate not applicable. SECTION 4: F • 4.1 Descriptio • General inforr • After inhalatio • After skin com • After skin com • After skin com • After swallow Rinse opened • After swallow Rinse out mour etc.). Avert vor • 4.2 Most impor No further relev • 4.3 Indication No further relev	ormation content in cement is less than 2 ppm so that the rating of the relevant phras in of first aid measures mation Personal protection for the First Aider. On Supply fresh air; consult doctor in case of symptoms. Natect Instantly wash with water and soap and rinse thoroughly. Natect eye for several minutes under running water. If symptoms persist, consult d ing th, don't drink water or eat something. Do not give household remedys (mill- miting. Have medical treatment. Ortant symptoms and effects, both acute and delayed vant information available. of any immediate medical attention and special treatment needed	octor.
The chromate not applicable. SECTION 4: F • 4.1 Descriptio • General inforr • After inhalatio • After skin com • After skin com • After skin com • After swallow Rinse opened • After swallow Rinse out mour etc.). Avert vor • 4.2 Most impor No further relev • 4.3 Indication No further relev • SECTION 5: F	ormation content in cement is less than 2 ppm so that the rating of the relevant phrase in of first aid measures mation Personal protection for the First Aider. On Supply fresh air; consult doctor in case of symptoms. Intact Instantly wash with water and soap and rinse thoroughly. tact eye for several minutes under running water. If symptoms persist, consult d ing th, don't drink water or eat something. Do not give household remedys (mill- niting. Have medical treatment. Ortant symptoms and effects, both acute and delayed vant information available. of any immediate medical attention and special treatment needed vant information available.	octor.
The chromate not applicable. SECTION 4: F • 4.1 Descriptio • General inforr • After inhalatio • After skin com • After skin com • After swallow Rinse opened • After swallow Rinse out mour etc.). Avert vor • 4.2 Most impor No further relev • 4.3 Indication No further relev • 5.1 Extinguist	ormation content in cement is less than 2 ppm so that the rating of the relevant phrase first aid measures mation Personal protection for the First Aider. on Supply fresh air; consult doctor in case of symptoms. that Instantly wash with water and soap and rinse thoroughly. that eye for several minutes under running water. If symptoms persist, consult d ing th, don't drink water or eat something. Do not give household remedys (mill- miting. Have medical treatment. ortant symptoms and effects, both acute and delayed vant information available. of any immediate medical attention and special treatment needed vant information available.	octor.
The chromate not applicable. SECTION 4: F 4.1 Descriptio General inforr After inhalatio After skin con After skin con After eye cont Rinse opened After swallow Rinse out mour etc.). Avert vor 4.2 Most impor No further relev 4.3 Indication No further relev SECTION 5: F 5.1 Extinguist	ormation content in cement is less than 2 ppm so that the rating of the relevant phrase first aid measures mation Personal protection for the First Aider. on Supply fresh air; consult doctor in case of symptoms. that Instantly wash with water and soap and rinse thoroughly. tact eye for several minutes under running water. If symptoms persist, consult d ing th, don't drink water or eat something. Do not give household remedys (mill- miting. Have medical treatment. ortant symptoms and effects, both acute and delayed vant information available. of any immediate medical attention and special treatment needed vant information available.	octor.
The chromate not applicable. SECTION 4: F • 4.1 Descriptio • General inforr • After inhalatio • After skin con • After skin con • After eye cont Rinse opened • After swallow Rinse out mour etc.). Avert vor • 4.2 Most impor No further relev • 4.3 Indication No further relev • 5.1 Extinguist • Suitable extin Product is not i	ormation content in cement is less than 2 ppm so that the rating of the relevant phrase first aid measures mation Personal protection for the First Aider. On Supply fresh air; consult doctor in case of symptoms. that Instantly wash with water and soap and rinse thoroughly. that Instantly wash with water and soap and rinse thoroughly. tact eye for several minutes under running water. If symptoms persist, consult d ing th, don't drink water or eat something. Do not give household remedys (mill- miting. Have medical treatment. Ortant symptoms and effects, both acute and delayed vant information available. of any immediate medical attention and special treatment needed vant information available.	octor.
The chromate not applicable. SECTION 4: F • 4.1 Descriptio • General inforr • After inhalatio • After skin con • After skin con • After eye cont Rinse opened • After swallow Rinse out mou etc.). Avert vor • 4.2 Most impo No further relev • 4.3 Indication No further relev • 5.1 Extinguist • Suitable extin Product is not i Use fire fighting	ormation content in cement is less than 2 ppm so that the rating of the relevant phrase irist aid measures mation Personal protection for the First Aider. On Supply fresh air; consult doctor in case of symptoms. that Instantly wash with water and soap and rinse thoroughly. tact eye for several minutes under running water. If symptoms persist, consult d ing th, don't drink water or eat something. Do not give household remedys (mill- miting. Have medical treatment. Ortant symptoms and effects, both acute and delayed vant information available. of any immediate medical attention and special treatment needed vant information available. irrefighting measures hing media guishing agents inflammable. g measures that suit the environment.	octor.
The chromate not applicable. SECTION 4: F • 4.1 Descriptio • General inforr • After inhalatio • After skin con • After eye cont Rinse opened • After swallow Rinse out mou etc.). Avert vor • 4.2 Most impo No further relev • 4.3 Indication No further relev • 5.1 Extinguist • Suitable extin Product is not i Use fire fighting • 5.2 Special ha	ormation content in cement is less than 2 ppm so that the rating of the relevant phrase in content in cement is less than 2 ppm so that the rating of the relevant phrase in content in cement is less than 2 ppm so that the rating of the relevant phrase in content in cement is less than 2 ppm so that the rating of the relevant phrase in content in cement is less than 2 ppm so that the rating of the relevant phrase in content in cement is less than 2 ppm so that the rating of the relevant phrase in content in cement is less than 2 ppm so that the rating of the relevant phrase mation Personal protection for the First Aider. On Supply fresh air; consult doctor in case of symptoms. Intact Instantly wash with water and soap and rinse thoroughly. It is that the substance or give household remedys (mill niting. Have medical treatment. Or that symptoms and effects, both acute and delayed vant information available. Information available. Information available. Information available. Information available. Information available. Information available. Information gents Inflammable. Inflammable. Inflammable. Inflammable. Inflammable. Inflammable.	octor.
The chromate not applicable. SECTION 4: F 4.1 Descriptio General inforr After inhalatio After skin con After eye cont Rinse opened After swallow Rinse out mou etc.). Avert vor 4.2 Most impo No further relev SECTION 5: F 5.1 Extinguist Suitable extin Product is not i Use fire fighting 5.2 Special ha No further relev	ormation content in cement is less than 2 ppm so that the rating of the relevant phrase irist aid measures motion Personal protection for the First Aider. on Supply fresh air; consult doctor in case of symptoms. that Instantly wash with water and soap and rinse thoroughly. tact eye for several minutes under running water. If symptoms persist, consult d ing th, don't drink water or eat something. Do not give household remedys (mill- miting. Have medical treatment. ortant symptoms and effects, both acute and delayed vant information available. of any immediate medical attention and special treatment needed vant information available. iritefighting measures inflammable. g measures that suit the environment. g measures that suit the environment. traards arising from the substance or mixture vant information available.	octor.
The chromate not applicable. SECTION 4: F 4.1 Descriptio General inforr After inhalatio After skin con After skin con After eye cont Rinse opened After swallow Rinse out mou etc.). Avert vor 4.2 Most impo No further relev SECTION 5: F 5.1 Extinguist Suitable extin Product is not i Use fire fighting 5.2 Special ha No further relev	ormation content in cement is less than 2 ppm so that the rating of the relevant phrase irist aid measures motion Personal protection for the First Aider. on Supply fresh air; consult doctor in case of symptoms. that Instantly wash with water and soap and rinse thoroughly. tact eye for several minutes under running water. If symptoms persist, consult d ing th, don't drink water or eat something. Do not give household remedys (mill- miting. Have medical treatment. ortant symptoms and effects, both acute and delayed vant information available. of any immediate medical attention and special treatment needed vant information available. iritefighting measures inflammable. g measures that suit the environment. g measures that suit the environment. traards arising from the substance or mixture vant information available.	octor.

Version number 12

Revision: 13.03.2015

(Contd. of page 2)

Trade name: INDUCRET-VK 100 (EP)

· Additional information Follow the emergency-plan.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
 Avoid eye- and skin contact.
 Ensure adequate ventilation Avoid causing dust.
- 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.
 6.3 Methods and material for containment and cleaning up:
- Pick up the product mechanically, avoid dust formation.
- 6.4 Reference to other sections See Section 13 for information on disposal.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of dust. Use only in well ventilated areas. Keep away from children.
- · Information about protection against explosions and fires: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and containers: Store in cool location.
- · Information about storage in one common storage facility:
- Please follow the rules of the VCI-Storage-Concept for chemicals.
- Further information about storage conditions: Protect from humidity and keep away from water.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical systems: It must be possible to wash the skin in the working area. Eye-wash bottle must be available.
- · 8.1 Control parameters
- · Components with critical values that require monitoring at the workplace:

65997-15-1 Cement, portland, chemicals (25-50%)

- WEL Long-term value: 10* 4** mg/m³
 - *inhalable dust **respirable dust
- Additional information: The lists that were valid during the compilation were used as basis.
- 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures
- The usual precautionary measures should be adhered to in handling the chemicals. Be sure to clean skin thoroughly after work and before breaks. Avoid contact with the eyes and skin.
- Vacuum clean contaminated clothing. Do not blow or brush off contamination.
- Breathing equipment: Use respiratory protective equipment at formation of dust.
- · Protection of hands: Hand Protection: Nitril-rubber-latex-gloves.
- Material of gloves Butyl rubber II R: Thickness \geq 0,5mm; Break through time \geq 480 min

(Contd. on page 4)

- GB

Version number 12

Revision: 13.03.2015

Trade name: INDUCRET-VK 100 (EP)

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Safety glasses
- · Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

· General Information

· Appearance: Form: Colour: · Smell:	Powder Grey Weak, characteristic
· pH-value (100 g/l) at 20 °C:	>12
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Not determined Not determined
· Flash point:	Not applicable
· Self-inflammability:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive.
· Density	
Settled apparent density at 20	° ℃ 1.45 kg/dm³
 Solubility in / Miscibility with Water: 9.2 Other information 	Soluble No further relevant information available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification: No dates existing.
- · Primary irritant effect:
- · on the skin: Irritant for skin and mucous membranes.
- · on the eye: Irritant effect.
- · Sensitisation: No sensitizing effect known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:

(Contd. on page 5)

GB

(Contd. of page 3)

Version number 12

Revision: 13.03.2015

Trade name: INDUCRET-VK 100 (EP)

Irritant

(Contd. of page 4)

SECTION 12: Ecological information

12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

10 00 00 WASTES FROM THERMAL PROCESSES

10 12 00 wastes from manufacture of ceramic goods, bricks, tiles and construction products

- 10 12 03 particulates and dust
- 17 00 00 CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES)
- 17 01 00 concrete, bricks, tiles and ceramics

17 01 01 concrete

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information • 14.1 UN-Number Void · ADR, ADN, IMDG, IATA · 14.2 UN proper shipping name · ADR Void · ADN, IMDG, IATA Void 14.3 Transport hazard class(es) · ADR, ADN, IMDG, IATA Class Void 14.4 Packing group · ADR, IMDG, IATA Void 14.5 Environmental hazards: Not applicable. 14.6 Special precautions for user Not applicable. (Contd. on page 6) GB

Version number 12

Revision: 13.03.2015

. .

Trade name: INDUCRET-VK 100 (EP)

of MARPOL73/78 and the IBC Code Not applicable.

UN "Model Regulation":

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· National regulations

· Water hazard class:

Water hazard class 1 (Self-assessment): slightly hazardous for water. The classification based on german instructions.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.

R37/38 Irritating to respiratory system and skin.

- R41 Risk of serious damage to eyes.
- R43 May cause sensitisation by skin contact.
- · Department issuing data specification sheet: Environment protection department.
- · Contact: Mr. Guido Herfort
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Skin Corr. 1C: Skin corrosion/irritation, Hazard Category 1C Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

• * Data compared to the previous version altered.