

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.03.2015

## Version number 5

Revision: 13.03.2015

- SECTION 1: Identification of the substance/mixture and of the company/undertaking
- 1.1 Product identifier

## · Trade name: INDUFLEX-VK-TKF-2000 mv (A-Komp.)

- Article number: 555133
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- Application of the substance / the mixture Sealing
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: SCHOMBURG GmbH Aquafinstr. 2-8 D-32760 Detmold Germany

Tel: ++49 (0)5231/953-00 Fax: ++49 (0)5231/953-123 email: info@schomburg.de web: www.schomburg.de

• Informing department: Product Safety Department

Tel: ++49 (0)5231/953-193 Fax: ++49 (0)5231/953-106 email: guido.herfort@schomburg.de

### **SECTION 2: Hazards identification**

- 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC
- R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- Information concerning particular hazards for human and environment: The product may not leak out in sewerage system, stretch of water or soil. The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
- Classification system:

The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms Void
- · Signal word Void
- Hazard statements

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- 2.3 Other hazards
- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.

(Contd. on page 2)

GR

Version number 5

Revision: 13.03.2015

## Trade name: INDUFLEX-VK-TKF-2000 mv (A-Komp.)

(Contd. of page 1)

10-25%

#### **SECTION 3: Composition/information on ingredients**

- 3.2 Chemical characterisation: Mixtures
- · Description: Mixture consisting of the following components.
- · Dangerous components:
- 27138-31-4 Oxydipropyldibenzoat

🌄 N R51/53

🚯 Aquatic Chronic 2, H411

• Additional information For the wording of the listed risk phrases refer to section 16.

### **SECTION 4: First aid measures**

- 4.1 Description of first aid measures
- · General information Personal protection for the First Aider.
- · After inhalation Supply fresh air or oxygen; call for doctor.
- · After skin contact Wash with water and soap.
- · After eye contact Rinse opened eye for several minutes under running water.
- After swallowing

Drink copious amounts of water and provide fresh air. Instantly call for doctor. Show the pack or the label to the doctor.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### **SECTION 5: Firefighting measures**

5.1 Extinguishing media

Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

- · For safety reasons unsuitable extinguishing agents Water with a full water jet.
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained breathing apparatus.
- Additional information
- Follow the emergency-plan.

Burst- and explosion-danger by increaseing pressure. In case of fire chill the container with water spray.

### **SECTION 6: Accidental release measures**

 6.1 Personal precautions, protective equipment and emergency procedures Bring persons out of danger.

- Wear protective equipment. Keep unprotected persons away.
- · 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- 6.4 Reference to other sections
- See Section 7 for information on safe handling
- See Section 8 for information on personal protection equipment.
- See Section 13 for information on disposal.

(Contd. on page 3)

GB

Version number 5

Revision: 13.03.2015

## Trade name: INDUFLEX-VK-TKF-2000 mv (A-Komp.)

(Contd. of page 2)

### **SECTION 7: Handling and storage**

- · 7.1 Precautions for safe handling Keep away from children.
- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and containers: Store in cool location.
- · Information about storage in one common storage facility:
- Please follow the rules of the VCI-Storage-Concept for chemicals.
- · Further information about storage conditions: None.
- 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

- Additional information about design of technical systems: It must be possible to wash the skin in the working area. Eye-wash bottle must be available.
- · 8.1 Control parameters
- · Components with critical values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures
- The usual precautionary measures should be adhered to in handling the chemicals. Avoid contact with the eyes and skin.

Use skin protection cream for preventive skin protection.

Be sure to clean skin thoroughly after work and before breaks.

- · Breathing equipment: Not required.
- · Protection of hands: Hand Protection: Nitril-rubber-latex-gloves.
- Material of gloves Butyl rubber II R: Thickness  $\geq 0,5$ mm; Break through time  $\geq 480$  min
- **Penetration time of glove material** The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection: Safety glasses
- · Body protection: Protective work clothing.

## **SECTION 9: Physical and chemical properties**

Appearance: Form:	Viscous	
Colour:	According to product specification	
Smell:	Characteristic	
Change in condition		
Melting point/Meltin	ng range: Not determined	
<b>Boiling point/Boilin</b>	g range: Not determined	
	5 5	

Version number 5

Revision: 13.03.2015

## Trade name: INDUFLEX-VK-TKF-2000 mv (A-Komp.)

		(Contd. of page 3)
<ul> <li>Ignition temperature:</li> </ul>	250 ℃	
· Self-inflammability:	Product is not selfigniting.	
<ul> <li>Danger of explosion:</li> </ul>	Product is not explosive.	
· Density at 20 ℃	1.74 g/cm³	
<ul> <li>Solubility in / Miscibility wir Water:</li> </ul>	th Not miscible or difficult to mix	
<ul> <li>Viscosity: dynamic at 20 °C:</li> <li>9.2 Other information</li> </ul>	31000 mPas No further relevant information available.	

## **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification: No dates existing.
- · Primary irritant effect: No irritant action known.
- · on the skin: No irritant effect.
- on the eye: No irritant effect
- · Sensitisation: No sensitizing effect known.

## **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes: Water hazard class 2 (Self-assessment): hazardous for water.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

(Contd. on page 5)

GR

Version number 5

Revision: 13.03.2015

## Trade name: INDUFLEX-VK-TKF-2000 mv (A-Komp.)

(Contd. of page 4)

#### **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

08 00 00 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS

08 04 00 wastes from MFSU of adhesives and sealants (including waterproofing products) 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

#### · Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void
<ul> <li>14.2 UN proper shipping name</li> <li>ADR, ADN, IMDG, IATA</li> </ul>	Void
<ul> <li>14.3 Transport hazard class(es)</li> </ul>	
· ADR, ADN, IMDG, IATA · Class	Void
<ul> <li>14.4 Packing group</li> <li>ADR, IMDG, IATA</li> </ul>	Void
<ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	No
14.6 Special precautions for user	Not applicable.
• 14.7 Transport in bulk according to Annex of MARPOL73/78 and the IBC Code	II Not applicable.
· UN "Model Regulation":	-

### **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · National regulations
- · Water hazard class:

Water hazard class 2 (Self-assessment): hazardous for water. The classification based on german instructions.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 6)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.03.2015

Version number 5

Revision: 13.03.2015

# Trade name: INDUFLEX-VK-TKF-2000 mv (A-Komp.)

		(Contd. of page 5
	ant phrases Toxic to aquatic life with long lasting effects.	
R51/53	<sup>3</sup> Toxic to aquatic organisms, may cause long-term adverse effects environment.	in the aquatic
Contac Abbrev ADR: Ac Internatio IMDG: Ir IATA: Int GHS: GI EINECS ELINCS: CAS: Ch LC50: Le Aquatic ( Aquatic (	tment issuing data specification sheet: Environment protection d ct: Mr. Guido Herfort viations and acronyms: cord européen sur le transport des marchandises dangereuses par Route (Europea onal Carriage of Dangerous Goods by Road) nternational Maritime Code for Dangerous Goods ternational Air Transport Association obally Harmonised System of Classification and Labelling of Chemicals : European Inventory of Existing Commercial Chemical Substances : European Inventory of Existing Commercial Chemical Substances : European List of Notified Chemical Substances memical Abstracts Service (division of the American Chemical Society) ethal concentration, 50 percent ethal dose, 50 percent Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2 Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3 compared to the previous version altered.	