


Revision: 19.03.2015



· Hazard-determining components of labelling: Cement, portland, chemicals

(Contd. on page 2)

GB

Printing date 19.03.2015

#### Version number 8

Revision: 19.03.2015

### Trade name: UNIFIX

calcium dihydroxic	le	(Contd. of page 1)
· Hazard statemen		
H315 Causes skin		
H318 Causes seri	, 0	
H335 May cause r	espiratory irritation.	
<ul> <li>Precautionary sta</li> </ul>	atements	
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.	
P280	Wear protective gloves/protective clothing/eye protection/face pro	tection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Rem	
	lenses, if present and easy to do. Continue rinsing.	
P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a pos	ition
	comfortable for breathing.	
P405	Store locked up.	
P501	Dispose of contents/container in accordance with local/regional/na	ational/
	international regulations.	
2.3 Other hazards	-	

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

## **SECTION 3: Composition/information on ingredients**

• 3.2 Chemical characterisation: Mixtures

· Description: Product based on cement and mineral filler.

· Dangerous components:

 CAS: 65997-15-1
 Cement, portland, chemicals
 25-50%

 EINECS: 266-043-4
 Xi R37/38-41; Xi R43
 Skin Irrit. 2, H315; STOT SE 3, H335

CAS: 1305-62-0 calcium dihydroxide EINECS: 215-137-3 X IR38-41 Eye Dam. 1, H318; (1) Skin Irrit. 2, H315

# SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information Personal protection for the First Aider.
- After inhalation Supply fresh air; consult doctor in case of symptoms.
- · After skin contact Instantly wash with water and soap and rinse thoroughly.
- After eye contact Rinse opened eye for several minutes under running water. Then consult doctor.
- After swallowing Do not induce vomiting; instantly call for medical help.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

# SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents Product is not inflammable. Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained breathing apparatus.

(Contd. on page 3)

< 1%

GB

Printing date 19.03.2015

## Version number 8

Revision: 19.03.2015

#### Trade name: UNIFIX

# · Additional information Follow the emergency-plan.

## **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing. Avoid eye- and skin contact. Ensure adequate ventilation Avoid causing dust.
- 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.
  6.3 Methods and material for containment and cleaning up:
- Pick up the product mechanically, avoid dust formation.
- · 6.4 Reference to other sections See Section 13 for information on disposal.

#### **SECTION 7: Handling and storage**

- 7.1 Precautions for safe handling
  Ensure good ventilation/exhaustion at the workplace.
  Prevent formation of dust.
  Use only in well ventilated areas.
  Keep away from children.
  Do not store open containers.
  Do not keep food in the area of work.

  Information about protection against explosions and fires: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers: Store in cool location.
   Do not leave open containers.
   Do not store in common rooms.
- Information about storage in one common storage facility: Store away from foodstuffs. Please follow the rules of the VCI-Storage-Concept for chemicals.
- Further information about storage conditions: Protect from humidity and keep away from water.
- · 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

- Additional information about design of technical systems: It must be possible to wash the skin in the working area. Eye-wash bottle must be available.
- · 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:

- 65997-15-1 Cement, portland, chemicals (25-50%)
- WEL Long-term value: 10\* 4\*\* mg/m<sup>3</sup> \*inhalable dust \*\*respirable dust

## 1305-62-0 calcium dihydroxide (< 1%)

WEL Long-term value: 5 mg/m<sup>3</sup>

- Additional information: The lists that were valid during the compilation were used as basis.
- 8.2 Exposure controls
- Personal protective equipment
- General protective and hygienic measures The usual precautionary measures should be adhered to in handling the chemicals. Be sure to clean skin thoroughly after work and before breaks.

(Contd. of page 2)

GB

# Printing date 19.03.2015

### Version number 8

Revision: 19.03.2015

### Trade name: UNIFIX

Avoid contact with the eyes and skin.

Vacuum clean contaminated clothing. Do not blow or brush off contamination.

- · Breathing equipment: Use respiratory protective equipment at formation of dust.
- Protection of hands: Hand Protection: Nitril-rubber-latex-gloves.
- · Material of gloves

Butyl rubber II R: Thickness  $\geq$  0,5mm; Break through time  $\geq$  480 min

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Safety glasses
- · Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties						
<ul> <li>9.1 Information on basic phy</li> <li>General Information</li> <li>Appearance:         <ul> <li>Form:</li> <li>Colour:</li> <li>Smell:</li> </ul> </li> </ul>	sical and chemical properties Powder Grey like cement					
<ul> <li>Change in condition Melting point/Melting range: Not determined Boiling point/Boiling range: Not determined</li> </ul>						
· Flash point:	Not applicable					
· Self-inflammability:	Product is not selfigniting.					
· Danger of explosion:	Product is not explosive.					
· Density						
Settled apparent density	1,450 kg/dm³					
<ul> <li>Solubility in / Miscibility with Water:</li> <li>9.2 Other information</li> </ul>	miscible No further relevant information available.					

# **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

(Contd. on page 5)

GB

(Contd. of page 3)

Printing date 19.03.2015

## Version number 8

Revision: 19.03.2015

Trade name: UNIFIX

(Contd. of page 4)

SECTION 11: Toxicological information  11.1 Information on toxicological effects Acute toxicity:  LD/LC50 values that are relevant for classification: 1305-62-0 calcium dihydroxide Oral LD50 7340 mg/kg (rats) 544-17-2 Calciumformiat Oral LD50 3050 mg/kg (rats) Dermal LD50 >2000 mg/kg (rats) Inhalative LC50/4 h >0.67 mg/l (rats) Primary irritant effect: on the skin: Irritant for skin and mucous membranes. on the eye: Irritant effect. Sensitisation: No sensitizing effect known. Additional toxicological information: The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version: Irritant  SECTION 12: Ecological information  12.1 Toxicity Aquatic toxicity: 544-17-2 Calciumformiat EC50 >1000 mg/l (Brachydanio rerio)  12.2 Persistence and degradability No further relevant information available.	SECTIO		vice legical information
<ul> <li>Acute toxicity:</li> <li>LD/LC50 values that are relevant for classification:</li> <li>1305-62-0 calcium dihydroxide</li> <li>Oral LD50 7340 mg/kg (rats)</li> <li>544-17-2 Calciumformiat</li> <li>Oral LD50 3050 mg/kg (rats)</li> <li>Dermal LD50 &gt;2000 mg/kg (rats)</li> <li>Dermal LD50 &gt;2000 mg/kg (rats)</li> <li>Inhalative LC50/4 h &gt;0.67 mg/l (rats)</li> <li>Primary irritant effect:</li> <li>on the skin: Irritant for skin and mucous membranes.</li> <li>on the system irritant effect.</li> <li>Sensitisation: No sensitizing effect known.</li> <li>Additional toxicological information:</li> <li>The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version: Irritant</li> </ul> SECTION 12: Ecological information 444.17-2 Calciumformiat EC50 >1000 mg/l (bacterial toxicity) EC50 (48h) >1000 mg/l (Bacterial toxicity) EC50 (48h) >1000 mg/l (Brachydanio rerio) 12.2 Persistence and degradability No further relevant information available.			<u> </u>
LD/LC50 values that are relevant for classification:         1305-62-0 calcium dihydroxide         Oral       LD50       7340 mg/kg (rats)         544-17-2 Calciumformiat         Oral       LD50       3050 mg/kg (rats)         Dermal       LD50       >2000 mg/kg (rats)         Inhalative LC50/4 h > 0.67 mg/l (rats)       Inhalative LC50/4 h > 0.67 mg/l (rats)         Primary irritant effect:       on the skin: Irritant for skin and mucous membranes.         on the skin: Irritant effect.       Sensitisation: No sensitizing effect known.         Additional toxicological information:       The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version: Irritant         SECTION 12: Ecological information         12.1 Toxicity         Aquatic toxicity:         544-17-2 Calciumformiat         EC50       >1000 mg/l (bacterial toxicity)         EC50       >1000 mg/l (Daphnia magna)         LC 0       (96h) 1000 mg/l (Brachydanio rerio)         12.2 Persistence and degradability No further relevant information available.			on toxicological effects
1305-62-0 calcium dihydroxide         Oral       LD50       7340 mg/kg (rats)         544-17-2 Calciumformiat         Oral       LD50       3050 mg/kg (rats)         Dermal       LD50       >2000 mg/kg (rats)         Inhalative       LC50/4 h >0.67 mg/l (rats)         Primary irritant effect:       •         • on the skin: Irritant for skin and mucous membranes.         • on the skin: Irritant effect.         • Sensitisation: No sensitizing effect known.         • Additional toxicological information:         The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:         Irritant         SECTION 12: Ecological information         • 12.1 Toxicity         • Aquatic toxicity:         544-17-2 Calciumformiat         EC50       >1000 mg/l (bacterial toxicity)         EC50       >1000 mg/l (Daphnia magna)         LC 0       (96h) 1000 mg/l (Brachydanio rerio)         • 12.2 Persistence and degradability No further relevant information available.			that are relevant for classification.
Oral       LD50       7340 mg/kg (rats)         544-17-2       Calciumformiat         Oral       LD50       3050 mg/kg (rats)         Dermal       LD50       >2000 mg/kg (rats)         Inhalative       LC50/4 h >0.67 mg/l (rats)         Primary irritant effect:       •         • on the skin: Irritant for skin and mucous membranes.         • on the skin: Irritant effect.         • Sensitisation: No sensitizing effect known.         • Additional toxicological information:         The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:         Irritant         SECTION 12: Ecological information         • Aquatic toxicity:         544-17-2 Calciumformiat         EC50       >1000 mg/l (bacterial toxicity)         EC50       >1000 mg/l (Daphnia magna)         LC 0       (96h) 1000 mg/l (Brachydanio rerio)         • 12.2 Persistence and degradability No further relevant information available.	-		
544-17-2 Calciumformiat         Oral       LD50       3050 mg/kg (rats)         Dermal       LD50       >2000 mg/kg (rats)         Inhalative LC50/4 h > 0.67 mg/l (rats)       •         Primary irritant effect:       •         • on the skin: Irritant for skin and mucous membranes.       •         • on the eye: Irritant effect.       •         • Sensitisation: No sensitizing effect known.       •         • Additional toxicological information:       •         The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:         Irritant         SECTION 12: Ecological information         • 12.1 Toxicity         • Aquatic toxicity:         544-17-2 Calciumformiat         EC50       >1000 mg/l (bacterial toxicity)         EC50 (48h) >1000 mg/l (Daphnia magna)         LC 0       (96h) 1000 mg/l (Brachydanio rerio)         • 12.2 Persistence and degradability No further relevant information available.			-
Oral       LD50       3050 mg/kg (rats)         Dermal       LD50       >2000 mg/kg (rats)         Inhalative LC50/4 h >0.67 mg/l (rats)         Primary irritant effect:         • on the skin: Irritant for skin and mucous membranes.         • on the eye: Irritant effect.         • Sensitisation: No sensitizing effect known.         • Additional toxicological information:         The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:         Irritant         SECTION 12: Ecological information         • 4quatic toxicity:         544-17-2 Calciumformiat         EC50       >1000 mg/l (bacterial toxicity)         EC50 (48h) >1000 mg/l (Daphnia magna)         LC 0       (96h) 1000 mg/l (Brachydanio rerio)         • 12.2 Persistence and degradability No further relevant information available.	544 17 0		
Dermal       LD50       >2000 mg/kg (rats)         Inhalative LC50/4 h >0.67 mg/l (rats)         • Primary irritant effect:         • on the skin: Irritant for skin and mucous membranes.         • on the eye: Irritant effect.         • Sensitisation: No sensitizing effect known.         • Additional toxicological information:         The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:         Irritant         SECTION 12: Ecological information         • 12.1 Toxicity         • Aquatic toxicity:         544-17-2 Calciumformiat         EC50       >1000 mg/l (bacterial toxicity)         EC50 (48h) >1000 mg/l (Daphnia magna)         LC 0       (96h) 1000 mg/l (Brachydanio rerio)         • 12.2 Persistence and degradability No further relevant information available.	• • • • • •		
Inhalative LC50/4 h >0.67 mg/l (rats) Primary irritant effect: on the skin: Irritant for skin and mucous membranes. on the eye: Irritant effect. Sensitisation: No sensitizing effect known. Additional toxicological information: The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version: Irritant SECTION 12: Ecological information • 12.1 Toxicity • Aquatic toxicity: 544-17-2 Calciumformiat EC50 >1000 mg/l (bacterial toxicity) EC50 (48h) >1000 mg/l (Daphnia magna) LC 0 (96h) 1000 mg/l (Brachydanio rerio) • 12.2 Persistence and degradability No further relevant information available.			
<ul> <li>Primary irritant effect:</li> <li>on the skin: Irritant for skin and mucous membranes.</li> <li>on the eye: Irritant effect.</li> <li>Sensitisation: No sensitizing effect known.</li> <li>Additional toxicological information: The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version: Irritant</li> <li>SECTION 12: Ecological information</li> <li>12.1 Toxicity</li> <li>Aquatic toxicity: 544-17-2 Calciumformiat EC50 &gt;1000 mg/l (bacterial toxicity) EC50 (48h) &gt;1000 mg/l (Daphnia magna) LC 0 (96h) 1000 mg/l (Brachydanio rerio)</li> <li>12.2 Persistence and degradability No further relevant information available.</li> </ul>			
<ul> <li>on the eye: Irritant effect.</li> <li>Sensitisation: No sensitizing effect known.</li> <li>Additional toxicological information: The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version: Irritant</li> <li>SECTION 12: Ecological information</li> <li>12.1 Toxicity</li> <li>Aquatic toxicity: 544-17-2 Calciumformiat EC50 &gt;1000 mg/l (bacterial toxicity) EC50 (48h) &gt;1000 mg/l (Daphnia magna) LC 0 (96h) 1000 mg/l (Brachydanio rerio)</li> <li>12.2 Persistence and degradability No further relevant information available.</li> </ul>			
<ul> <li>Sensitisation: No sensitizing effect known.</li> <li>Additional toxicological information: The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version: Irritant</li> <li>SECTION 12: Ecological information</li> <li>12.1 Toxicity</li> <li>Aquatic toxicity: 544-17-2 Calciumformiat EC50 &gt;1000 mg/l (bacterial toxicity) EC50 (48h) &gt;1000 mg/l (Daphnia magna) LC 0 (96h) 1000 mg/l (Brachydanio rerio)</li> <li>12.2 Persistence and degradability No further relevant information available.</li> </ul>			
<ul> <li>Additional toxicological information: The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version: Irritant</li> <li>SECTION 12: Ecological information         <ul> <li>12.1 Toxicity</li> <li>Aquatic toxicity:</li> <li>544-17-2 Calciumformiat</li> <li>EC50 &gt;1000 mg/l (bacterial toxicity)</li> <li>EC50 (48h) &gt;1000 mg/l (Daphnia magna)</li> <li>LC 0 (96h) 1000 mg/l (Brachydanio rerio)</li> <li>12.2 Persistence and degradability No further relevant information available.</li> </ul> </li> </ul>			
The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version: Irritant SECTION 12: Ecological information • 12.1 Toxicity • Aquatic toxicity: 544-17-2 Calciumformiat EC50 >1000 mg/l (bacterial toxicity) EC50 (48h) >1000 mg/l (Daphnia magna) LC 0 (96h) 1000 mg/l (Brachydanio rerio) • 12.2 Persistence and degradability No further relevant information available.			
Classification Guidelines for Preparations as issued in the latest version: Irritant SECTION 12: Ecological information 12.1 Toxicity Aquatic toxicity: 544-17-2 Calciumformiat EC50 >1000 mg/l (bacterial toxicity) EC50 (48h) >1000 mg/l (Daphnia magna) LC 0 (96h) 1000 mg/l (Brachydanio rerio) 12.2 Persistence and degradability No further relevant information available.			
Irritant SECTION 12: Ecological information 12.1 Toxicity Aquatic toxicity: 544-17-2 Calciumformiat EC50 >1000 mg/l (bacterial toxicity) EC50 (48h) >1000 mg/l (Daphnia magna) LC 0 (96h) 1000 mg/l (Brachydanio rerio) 12.2 Persistence and degradability No further relevant information available.			
<ul> <li>12.1 Toxicity</li> <li>Aquatic toxicity:</li> <li>544-17-2 Calciumformiat</li> <li>EC50 &gt;1000 mg/l (bacterial toxicity)</li> <li>EC50 (48h) &gt;1000 mg/l (Daphnia magna)</li> <li>LC 0 (96h) 1000 mg/l (Brachydanio rerio)</li> <li>12.2 Persistence and degradability No further relevant information available.</li> </ul>			
<ul> <li>12.1 Toxicity</li> <li>Aquatic toxicity:</li> <li>544-17-2 Calciumformiat</li> <li>EC50 &gt;1000 mg/l (bacterial toxicity)</li> <li>EC50 (48h) &gt;1000 mg/l (Daphnia magna)</li> <li>LC 0 (96h) 1000 mg/l (Brachydanio rerio)</li> <li>12.2 Persistence and degradability No further relevant information available.</li> </ul>			
<ul> <li>Aquatic toxicity:</li> <li>544-17-2 Calciumformiat</li> <li>EC50 &gt;1000 mg/l (bacterial toxicity)</li> <li>EC50 (48h) &gt;1000 mg/l (Daphnia magna)</li> <li>LC 0 (96h) 1000 mg/l (Brachydanio rerio)</li> <li>12.2 Persistence and degradability No further relevant information available.</li> </ul>	SECTIO	N 12: Ec	ological information
544-17-2 Calciumformiat         EC50       >1000 mg/l (bacterial toxicity)         EC50 (48h) >1000 mg/l (Daphnia magna)         LC 0       (96h) 1000 mg/l (Brachydanio rerio)         • 12.2 Persistence and degradability No further relevant information available.	• 12.1 Tox	cicity	
EC50>1000 mg/l (bacterial toxicity)EC50 (48h) >1000 mg/l (Daphnia magna)LC 0(96h) 1000 mg/l (Brachydanio rerio)• 12.2 Persistence and degradability No further relevant information available.	· Aquatic	toxicity:	
EC50 (48h) >1000 mg/l (Daphnia magna) LC 0 (96h) 1000 mg/l (Brachydanio rerio) • 12.2 Persistence and degradability No further relevant information available.	544-17-2	2 Calciun	nformiat
LC 0 (96h) 1000 mg/l (Brachydanio rerio) • 12.2 Persistence and degradability No further relevant information available.	EC50	>1000	0 mg/l (bacterial toxicity)
· 12.2 Persistence and degradability No further relevant information available.	EC50 (48	3h) >100	ט mg/l (Daphnia magna)
• 12.3 Bioaccumulative potential No further relevant information available.			

- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

# **SECTION 13: Disposal considerations**

13.1 Waste treatment methods

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · European waste catalogue
- 17 00 00 CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES)
- 17 01 00 concrete, bricks, tiles and ceramics

17 01 01 concrete

- 10 00 00 WASTES FROM THERMAL PROCESSES
- 10 12 00 wastes from manufacture of ceramic goods, bricks, tiles and construction products
- 10 12 03 particulates and dust

(Contd. on page 6)

GB

Printing date 19.03.2015

#### Version number 8

Revision: 19.03.2015

(Contd. of page 5)

#### Trade name: UNIFIX

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information					
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void				
<ul> <li>14.2 UN proper shipping name</li> <li>ADR</li> <li>ADN, IMDG, IATA</li> </ul>	Void Void				
· 14.3 Transport hazard class(es)					
· ADR, ADN, IMDG, IATA · Class	Void				
<ul> <li>14.4 Packing group</li> <li>ADR, IMDG, IATA</li> </ul>	Void				
14.5 Environmental hazards:	Not applicable.				
14.6 Special precautions for user	Not applicable.				
<ul> <li>14.7 Transport in bulk according to Annex of MARPOL73/78 and the IBC Code</li> </ul>	II Not applicable.				
<ul> <li>Transport/Additional information:</li> </ul>	Not dangerous according to the above specifications.				
· UN "Model Regulation":	-				

### **SECTION 15: Regulatory information**

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

· Water hazard class:

Water hazard class 1 (Self-assessment): slightly hazardous for water. The classification based on german instructions.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H315 Causes skin irritation.

- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.

R37/38 Irritating to respiratory system and skin.

R38 Irritating to skin.

R41 Risk of serious damage to eyes.

R43 May cause sensitisation by skin contact.

- · Department issuing data specification sheet: Environment protection department.
- · Contact: Mr. Guido Herfort

(Contd. on page 7)

<sup>,</sup> GB —

Printing date 19.03.2015

Version number 8

Revision: 19.03.2015

(Contd. of page 6)

#### Trade name: UNIFIX

<ul> <li>Abbrev</li> </ul>	iations	and	acr	onym	S
			1 .	A	

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINECS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 • \* Data compared to the previous version altered.