


Hygiene-Institut des Ruhrgebiets

Institut für Umwelthygiene und Toxikologie

Direktor: Prof. Dr. rer. nat. L. Dunemann

Träger: Verein zur Bekämpfung der Volkskrankheiten im Ruhrkohlengebiet e.V.



HYGIENE-INSTITUT · Postfach 10 12 55 · 45812 Gelsenkirchen / GERMANY

SCHOMBURG GmbH & Co. KG
Aquafinstr. 2-8
32760 Detmold
GERMANY

Visitor's/Parcel Address:
Rotthauer Str. 21
45879 Gelsenkirchen

Telephone +49 (0) 209 9242-0
Extension +49 (0) 209 9242-277
Telefax +49 (0) 209 9242-212
E-Mail r.weiss@hyg.de
Internet www.hyg.de

Reference-No.: K-306699-18-WR/st
Contact person: Roland Weiß (Dipl.-Biol.)
Translation: K-306998-18-WR/st

Gelsenkirchen, 10.12.2018

TEST CERTIFICATE

according to the DVGW Code of Practice W 347
"hygienic requirements for cement-bound
materials for drinking water supply"
(issue date 2006-05)

Product: AQUAFIN-IC

Specimen: plates (brown-grey)

Test result:


The test specimen meet the requirements of the DVGW Code of Practice W 347 according to the test report-no.: K-238225-13-Ko dated 19.12.2013 for the following scopes, as far as the material is qualified technically.

Scope	Products / Components	Assessment
I	mortar lining of cast iron pipes and steel pipes	---
II	concrete pipes \geq DN 300, reservoirs, cementitious coatings of reservoirs	passed
III	cement for tiles, joint filler, coating of fittings (e.g. for welding joints)	passed
IV	concrete components in protective areas of drinking water plants I, II, III	passed

This test certificate is valid beginning with the date of issue and is ending by 19.12.2023 as far as there are no changes in the formula.

If the product contains organic ingredients, the microbiological behaviour must meet the requirements of DVGW worksheet W 270.

The Director of the Hygiene-Institute
on behalf of


Dr. rer. nat. Andreas Koch
Head of the Dept. for water
hygienic material testing



The assessment was based on the assumption that the used starting substances and monomers used to manufacture the product may completely known and no other substances are present in the product. The validity of this document expires in case of modifications in the composition of the product or the processing conditions. The results and evaluations refer to the groups of test items. This document may not be published without our written permission only complete and unchanged or duplicated.

Träger: Verein zur Bekämpfung der Volkskrankheiten im Ruhrkohlengebiet e.V., Vereinsregister: VR 519 Amtsgericht Gelsenkirchen, USt.-ID: DE125018356
Vorstand: Prof. Dr. Werner Schlake (Vors.), Prof. Dr. Jürgen Kretschmann, Dr. Emanuel Grün, Dr. Dirk Waider, Prof. Dr. Lothar Dunemann (geschäftsf. Vorstand)