

according Annex III of the Regulation (EU) No 305/2011 amended by Commissions delegated Regulation (EU) No 574/2014

## for the product

## ASODUR-G1270 206404

- Unique identification code of the product type: EN 1504-2 Principle 1.2 1.
- 2. Intended use:

EN 1504-2

Surface protection product/primer

3. Manufacturer :

Schomburg GmbH & Co. KG Aquafinstrasse 2-8 32760 Detmold

- 4. System or systems of assessment and verification of constancy of performance of the construction product as:
- 5. Harmonised standard
- 6. Notified test laboratory:

EN 1504-2:2004

System 2+

The notified testing laboratory KIWA Polymer Institut,, identification number 1119 performed the determination of the producttype on the basis of type testing under system 2 + and issued: test report No 1119-CPD-13126.

7. Declared performance :

Essential characteristics	Performance	System of assessment and verification of constancy of performance	Harmonised technical specification
Capillary water absorption and water permeability	w < 0,1 kg/m² x h <sup>0,5</sup>		
Pull off test for determination of	≥ 1,5 (1,0) N/mm²		
the adhesive strength		System 2+	DIN EN 1504-2:2004
Penetration depth	Class I < 10 mm		DIN EN 1304-2.2004
Reaction to fire	Class E		
Dangerous ingredients	According 5.3 (EN 1504-2)		



The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

## Signed for and on behalf of the manufacturer by:

Michael Hölscher, technical service surface protection systems (name and function)

Detmold, 20.10.2016

## This declaration of performance was created electronically. It is valid without manual signature.

The current material safety data sheet and technical data sheet is downloadable under

https://www.schomburg.com/de/en/downloads/datasheets/materials\_safety\_data\_sheet/d

or

https://www.schomburg.com/de/en/downloads/datasheets/technical\_data\_sheet/d