

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.02.2022 Version number 14 Revision: 01.02.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: AQUAFIN-P1
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Reaction resin
- 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: SCHOMBURG GmbH & Co. KG Aquafinstr. 2-8 D-32760 Detmold Germany

._____

Tel: ++49 (0)5231/953-00 email: info@schomburg.de

Informing department:
 Product Safety Department

Tel: ++49 (0)5231/953-770 email: SDB@schomburg.de

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Carc. 2 H351 Suspected of causing cancer.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

- 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- · Hazard pictograms GHS07, GHS08
- · Signal word Danger
- · Hazard-determining components of labelling:

diphenylmethanediisocyanate,isomeres and homologues

· Hazard statements

H332 Harmful if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

(Contd. on page 2)

(Contd. of page 1)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.02.2022 Version number 14 Revision: 01.02.2022

Trade name: AQUAFIN-P1

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P284 [In case of inadequate ventilation] wear respiratory protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

· Additional information:

EUH204 Contains isocyanates. May produce an allergic reaction.

- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Chemical characterisation: Mixtures
- · Description: Preparation based on Diphenylmethan-Diisocyanat-Prepolymers. (MDI)
- · Dangerous components:

CAS: 9016-87-9 diphenylmethanediisocyanate,isomeres and homologues 50-100%

Index number: 615-005-00-9 & Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373;

Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319;

Škin Sens. 1, H317; STOT SE 3, H335

Specific concentration limits: Eye Irrit. 2; H319: C ≥ 5 %

Skin Irrit. 2; H315: C ≥ 5 % Resp. Sens. 1; H334: C ≥ 0.1 %

STOT SE 3; C ≥ 5 %

CAS: 78-40-0 triethyl phosphate 10-25%

Index number: 015-013-00-7

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Personal protection for the First Aider.

Do not leave affected persons unsupervised.

Instantly remove any clothing soiled by the product.

· After inhalation

Supply fresh air or oxygen; call for doctor.

In case of cardiac- or breath arrest: artificial respiration and cardiac massage.

Use a respiration bag or breathing device.

After skin contact

Instantly wash with water and soap and rinse thoroughly.

Change immediately contaminated clothes.

If symptoms appearance, call the doctor.

(Contd. on page 3)

(Contd. of page 2)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.02.2022 Version number 14 Revision: 01.02.2022

Trade name: AQUAFIN-P1

· After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

· After swallowing

Do not induce vomiting; instantly call for medical help.

Show the packaging or the label to the doctor.

4.2 Most important symptoms and effects, both acute and delayed

Allergic reactions

Asthma attacks

Irritation of skin, eyes and respiratory organ.

 4.3 Indication of any immediate medical attention and special treatment needed The symptoms are to be treated.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Use fire fighting measures that suit the environment.

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

5.3 Advice for firefighters

Protective equipment:

Wear self-contained breathing apparatus.

Wear full protective suit.

Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Follow the emergency-plan.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures
 Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

- · 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Keep away from children.

- · Information about protection against explosions and fires: Keep breathing equipment ready.
- 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and containers:

Store only in the original container.

The Product reacts with water and CO2-Gas will be given off.

In tight closed containers pressure may arise and the cover can burst.

· Information about storage in one common storage facility:

Please follow the rules of the VCI-Storage-Concept for chemicals.

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Version number 14

Trade name: AQUAFIN-P1

Printing date 01.02.2022

......

(Contd. of page 3)

Revision: 01.02.2022

· Further information about storage conditions:

Store under dry conditions.

Store container in a well ventilated position.

Keep container tightly sealed.

Store in a locked cabinet and out of the reach of children.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters
- Additional information about design of technical systems:

It must be possible to wash the skin in the working area.

Eye-wash bottle must be available.

Components with critical values that require monitoring at the workplace:

9016-87-9 diphenylmethanediisocyanate, isomeres and homologues (50-100%)

WEL Short-term value: 0.07 mg/m³ Long-term value: 0.02 mg/m³

Sen: as -NCO

- · Additional information: The lists that were valid during the compilation were used as basis.
- 8.2 Exposure controls
- · Personal protective equipment
- General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals.

Instantly remove any soiled and impregnated garments.

Avoid contact with the eyes and skin.

Be sure to clean skin thoroughly after work and before breaks.

When the material is hardened on the skin, remove it carfully mechanically.

· Breathing equipment:

In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

Recommended Filter type A

- · Protection of hands: Hand Protection: Nitril-rubber-latex-gloves.
- · Material of gloves

Nitril-rubber-latex-gloves II R: Thickness ≥ 0.5 mm; Penetration time ≥ 480 min

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Tightly sealed safety glasses.
- · Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid
Colour: Brown

Smell: Characteristic
Odour threshold: Not determined.

• **pH-value:** Mixture is non-soluble (in water).

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.02.2022 Version number 14 Revision: 01.02.2022

Trade name: AQUAFIN-P1

	(Contd. of page
Change in condition Melting point/freezing point: Initial boiling point and boiling range	Not determined : >260 °C
Flash point:	200 °C
Inflammability (solid, gaseous)	Not applicable.
Decomposition temperature:	Not determined.
Self-inflammability:	Product is not selfigniting.
Explosive properties:	Product is not explosive.
Critical values for explosion: Lower: Upper:	Not determined. Not determined.
Steam pressure at 20 °C:	<5 hPa
Density at 20 °C Relative density Vapour density Evaporation rate	1.14 g/cm ³ Not determined. Not determined. Not determined.
Solubility in / Miscibility with Water:	Not miscible or difficult to mix
Partition coefficient: n-octanol/water:	Not determined.
Viscosity: dynamic at 20 °C: kinematic:	230 mPas Not determined.
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials:

Acids

Water

Alkalis

Amine

Alkoholes

· 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity

Harmful if inhaled.

· LD/LC50 values that are relevant for classification:

9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

Oral LD50 >10,000 mg/kg (rats) (OECD 401)

(Contd. on page 6)

Safety data sheet according to 1907/2006/EC, Article 31

Version number 14 Revision: 01.02.2022 Printing date 01.02.2022

Trade name: AQUAFIN-P1

Dermal LD50 >9,400 mg/kg (rabbit) (OECD 402) (Contd. of page 5)

78-40-0 triethyl phosphate

Oral LD50 800 mg/kg (rats) Dermal LD50 20,000 mg/kg (Kan) Inhalative LC50/4 h 8,817 mg/l (rats)

· Primary irritant effect:

· Skin corrosion/irritation

The product has an irritate-effect.

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye irritation.

· Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

- Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity

Suspected of causing cancer.

- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

· Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity:

LC50/96h >1,000 mg/l (Leuciscus idus) EC50 (48h) >1,000 mg/l (Daphnia magna)

>1,000 mg/l /72h (Scenedesmus subspicatus)

9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

EC 50 >1,000 mg/kg (dam) (OECD 202 (24 h))

>1,640 mg/kg (Grünalge (Scenedesmus subspicatus)) (OECD 201)

LC50/96h >1,000 mg/l (zebra danio) (OECD 203)

EC50 (3h) >100 mg/l (Atmungshem. von kommunalem Belebtschlamm) (OECD 209)

ERC50 >1,640 mg/l (Grünalge (Scenedesmus subspicatus)) (OECD 201 (72 h))

NOEC >1,000 mg/kg (Avena sativa) (OECD 208 (14 d))

>1,000 mg/kg (Eisenia fetida) (OECD 207 (14 d))

>1,000 mg/kg (Lactuca sativa) (OECD 208 (14 d))

>10 mg/l (dam) (OECD 202 (21 d)) NOEC

- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.

(Contd. on page 7)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.02.2022 Version number 14 Revision: 01.02.2022

Trade name: AQUAFIN-P1

(Contd. of page 6)

- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
 14.7 Transport in bulk according to Ann of Marpol and the IBC Code 	ex II Not applicable.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations
- · Technical instructions (air):
- · Class Share in %
- 75.0 - 1
 - NK 21.0
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 8)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.02.2022 Version number 14 Revision: 01.02.2022

Trade name: AQUAFIN-P1

(Contd. of page 7)

· Relevant phrases

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

- Department issuing data specification sheet: Environment protection department.
- · **Contact:** Environment protection department.

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Resp. Sens. 1: Respiratory sensitisation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1

Carc. 2: Carcinogenicity - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

* Data compared to the previous version altered.

GB