

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** **BETOCRETE CL 170 P**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** Concrete/Mortar admixtures
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
SCHOMBURG GmbH & Co. KG  
Aquafinstr. 2-8  
D-32760 Detmold  
Germany  
-----  
Tel: ++49 (0)5231/953-00  
Fax: ++49 (0)5231/953-123  
email: info@schomburg.de  
web: www.schomburg.de
- **Informing department:**  
Product Safety Department  
  
Tel: ++49 (0)5231/953-193  
Fax: ++49 (0)5231/953-106  
email: guido.herfort@schomburg.de

## SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS07

Acute Tox. 4 H332 Harmful if inhaled.  
Eye Irrit. 2 H319 Causes serious eye irritation.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms** GHS07
- **Signal word** Warning
- **Hazard-determining components of labelling:**  
sodium carbonate
- **Hazard statements**  
H332 Harmful if inhaled.  
H319 Causes serious eye irritation.
- **Precautionary statements**

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear eye protection / face protection.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a POISON CENTER/doctor if you feel unwell.
P337+P313	If eye irritation persists: Get medical advice/attention.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

Trade name: **BETOCRETE CL 170 P**

(Contd. of page 1)

**SECTION 3: Composition/information on ingredients**· **3.2 Chemical characterisation: Mixtures**· **Description:** Aqueous saline solution.· **Dangerous components:**CAS: 497-19-8      sodium carbonate 10-25%

EINECS: 207-838-8    ⚠ Acute Tox. 4, H332; Eye Irrit. 2, H319

· **Additional information** For the wording of the listed hazard phrases refer to section 16.**SECTION 4: First aid measures**· **4.1 Description of first aid measures**· **General information** Personal protection for the First Aider.· **After inhalation** Supply fresh air or oxygen; call for doctor.· **After skin contact** Wash with water and soap.· **After eye contact** Rinse opened eye for several minutes under running water.· **After swallowing**

Drink copious amounts of water and provide fresh air. Instantly call for doctor.

Show the pack or the label to the doctor.

· **4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

**SECTION 5: Firefighting measures**· **5.1 Extinguishing media**· **Suitable extinguishing agents**CO<sub>2</sub>, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.· **5.2 Special hazards arising from the substance or mixture**

No further relevant information available.

· **5.3 Advice for firefighters**· **Protective equipment:** Wear self-contained breathing apparatus.· **Additional information** Follow the emergency-plan.**SECTION 6: Accidental release measures**· **6.1 Personal precautions, protective equipment and emergency procedures**

Bring persons out of danger.

Wear protective equipment. Keep unprotected persons away.

· **6.2 Environmental precautions:** Do not allow product to reach sewage system or water bodies.· **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· **6.4 Reference to other sections**

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

**SECTION 7: Handling and storage**· **7.1 Precautions for safe handling** Keep away from children.· **Information about protection against explosions and fires:** No special measures required.

(Contd. on page 3)

Trade name: **BETOCRETE CL 170 P**

(Contd. of page 2)

- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:**  
Please follow the rules of the VCI-Storage-Concept for chemicals.
- **Further information about storage conditions:** None.
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical systems:**  
It must be possible to wash the skin in the working area.  
Eye-wash bottle must be available.
- **8.1 Control parameters**
- **Components with critical values that require monitoring at the workplace:**  
**107-21-1 ethane-1,2-diol (< 1%)**  
WEL Short-term value: 104\*\* mg/m<sup>3</sup>, 40\*\* ppm  
Long-term value: 10\* 52\*\* mg/m<sup>3</sup>, 20\*\* ppm  
Sk \*particulate \*\*vapour
- **Additional information:** The lists that were valid during the compilation were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures**  
The usual precautionary measures should be adhered to in handling the chemicals.  
Wash hands during breaks and at the end of the work.  
Avoid contact with eyes and skin. Change clothes which heavy contaminate with the product.
- **Breathing equipment:** Not required.
- **Protection of hands:** Hand Protection: Nitril-rubber-latex-gloves.
- **Material of gloves**  
Butyl rubber II R: Thickness ≥ 0,5mm; Break through time ≥ 480 min
- **Penetration time of glove material**  
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Safety glasses
- **Body protection:** Protective work clothing.

### SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Liquid
Colour:	Colourless
Smell:	Light
- **pH-value at 20 °C:** 11
- **Change in condition**

Melting point/freezing point:	Not determined
Initial boiling point and boiling range:	Not determined
- **Flash point:** Not applicable
- **Self-inflammability:** Product is not selfigniting.

(Contd. on page 4)

Trade name: **BETOCRETE CL 170 P**

(Contd. of page 3)

· <b>Explosive properties:</b>	Product is not explosive.
· <b>Steam pressure:</b>	Not determined.
· <b>Density at 20 °C</b>	1.18 g/cm <sup>3</sup>
· <b>Solubility in / Miscibility with Water:</b>	miscible
· <b>Viscosity:</b>	
<b>dynamic:</b>	Not determined.
<b>kinematic:</b>	Not determined.
· <b>9.2 Other information</b>	No further relevant information available.

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity**  
Harmful if inhaled.
- **LD/LC50 values that are relevant for classification:**
- 497-19-8 sodium carbonate**
- Oral      LD50 2,800 mg/kg (rats)
- Dermal   LD50 >2,000 mg/kg (rats)
- Inhalative LC50 2 mg/l (rats)
- **Primary irritant effect:** No irritant action known.
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation**  
Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:**
- 497-19-8 sodium carbonate**
- LC50/96h 300 mg/l (Lepomis macrochius)
- EC50      24 mg/l (Daphnia magna)

(Contd. on page 5)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 08.10.2018

Version number 20

Revision: 08.10.2018

Trade name: **BETOCRETE CL 170 P**

(Contd. of page 4)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleaning agent:** Water, if necessary with cleaning agent.

### SECTION 14: Transport information

- |   |  |
|---|--|
| · <b>14.1 UN-Number</b><br>· <b>ADR, ADN, IMDG, IATA</b>                                    | Void   |
| · <b>14.2 UN proper shipping name</b><br>· <b>ADR, ADN, IMDG, IATA</b>                      | Void   |
| · <b>14.3 Transport hazard class(es)</b><br>· <b>ADR, ADN, IMDG, IATA</b><br>· <b>Class</b> | Void   |
| · <b>14.4 Packing group</b><br>· <b>ADR, IMDG, IATA</b>                                     | Void   |
| · <b>14.5 Environmental hazards:</b><br>· <b>Marine pollutant:</b>                          | No   |
| · <b>14.6 Special precautions for user</b>  | Not applicable.                                      |
| · <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b>            | Not applicable.                                      |
| · <b>Transport/Additional information:</b>  | Not dangerous according to the above specifications. |
| · <b>UN "Model Regulation":</b>   | Void   |

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

(Contd. on page 6)

GB

**Trade name: BETOCRETE CL 170 P**

(Contd. of page 5)

- **National regulations**
- **Water hazard class:**  
Water hazard class 1 (Self-assessment): slightly hazardous for water.  
The classification based on german instructions.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**  
H319 Causes serious eye irritation.  
H332 Harmful if inhaled.
- **Department issuing data specification sheet:** Environment protection department.
- **Contact:** Mr. Guido Herfort
- **Abbreviations and acronyms:**  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Acute Tox. 4: Acute toxicity – Category 4  
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
- **\* Data compared to the previous version altered.**