

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 19.08.2021

Version number 8

Revision: 19.08.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: **COMBIDIC-2K-PREMIUM (A-Komp.)**
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
No further relevant information available.
- **Application of the substance / the mixture** bituminous coating
- 1.3 Details of the supplier of the safety data sheet
- **Manufacturer/Supplier:**
SCHOMBURG GmbH & Co. KG
Aquafinstr. 2-8
D-32760 Detmold
Germany
- Tel: ++49 (0)5231/953-00
email: info@schomburg.de
- **Informing department:**
Product Safety Department
- Tel: ++49 (0)5231/953-770
email: SDB@schomburg.de

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- **Classification according to Regulation (EC) No 1272/2008**
The product is not classified, according to the CLP regulation.
-
- 2.2 Label elements
- **Labelling according to Regulation (EC) No 1272/2008** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Additional information:**
EUH208 Contains reaction products of paraformaldehyde with 2-hydroxypropylamine (ratio 1:1). May produce an allergic reaction.
EUH210 Safety data sheet available on request.
- 2.3 Other hazards
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Chemical characterisation: Mixtures
- **Description:** Modified anionic Bitumina-Emulsion.
- **Dangerous components:**
- Index number: 612-291-00-7 reaction products of paraformaldehyde with 2-hydroxypropylamine (ratio 1:1) <0.1%
- ⚠ Muta. 2, H341; Carc. 1B, H350; STOT RE 2, H373; ⚠ Skin Corr. 1C, H314; Eye Dam. 1, H318; ⚠ Aquatic Chronic 2, H411; ⚠ Acute Tox. 4, H302; Acute Tox. 4, H332; Skin Sens. 1A, H317

(Contd. on page 2)

Trade name: **COMBIDIC-2K-PREMIUM (A-Komp.)**

(Contd. of page 1)

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information** Personal protection for the First Aider.
- **After inhalation** Supply fresh air or oxygen; call for doctor.
- **After skin contact**
Don't use solvents to clean the skin.
Wash with water and soap.
- **After eye contact** Rinse opened eye for several minutes under running water.
- **After swallowing**
Drink copious amounts of water and provide fresh air. Instantly call for doctor.
Show the pack or the label to the doctor.
- **4.2 Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents**
CO₂, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- **5.2 Special hazards arising from the substance or mixture**
No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** Wear self-contained breathing apparatus.
- **Additional information**
Follow the emergency-plan.
Burst- and explosion-danger by increasing pressure.
In case of fire chill the container with water spray.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Avoid eye- and skin contact.
Bring persons out of danger.
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:** Do not allow product to reach sewage system or water bodies.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Solid material can be moved mechanically.
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **6.4 Reference to other sections**
No dangerous materials are released.
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

* SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Keep away from heat and direct sunlight.
Do not store open containers.
Keep away from children.

(Contd. on page 3)

Trade name: COMBIDIC-2K-PREMIUM (A-Komp.)

(Contd. of page 2)

- **Information about protection against explosions and fires:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:**
Please follow the rules of the VCI-Storage-Concept for chemicals.
- **Further information about storage conditions:** Protect from frost.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Additional information about design of technical systems:**
It must be possible to wash the skin in the working area.
Eye-wash bottle must be available.
- **Components with critical values that require monitoring at the workplace:**
- **8052-42-4 Asphalt (25-50%)**
WEL Short-term value: 10 mg/m³
Long-term value: 5 mg/m³
- **9004-34-6 Cellulose (<2.5%)**
WEL Short-term value: 20* mg/m³
Long-term value: 10* 4** mg/m³
*inhalable dust **respirable
- **Additional information:** The lists that were valid during the compilation were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures**
Wash hands during breaks and at the end of the work.
The usual precautionary measures should be adhered to in handling the chemicals.
Avoid contact with eyes and skin. Change clothes which heavy contaminate with the product.
- **Breathing equipment:** Not required.
- **Protection of hands:** Hand Protection: Nitril-rubber-latex-gloves.
- **Material of gloves**
Nitril-rubber-latex-gloves II R: Thickness ≥ 0,5mm; Penetration time ≥ 480 min
- The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Safety glasses
- **Body protection:** Protective work clothing.

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**
- **Form:** Viscous
- **Colour:** Dark brown
- **Smell:** bitumen
- **Odour threshold:** Not determined.
- **pH-value at 20 °C:** 9.5

(Contd. on page 4)

Trade name: **COMBIDIC-2K-PREMIUM (A-Komp.)**

(Contd. of page 3)

- **Change in condition**
- Melting point/freezing point:** Not determined
- Initial boiling point and boiling range:** Not determined

- **Flash point:** Not applicable

- **Inflammability (solid, gaseous)** Not applicable.

- **Decomposition temperature:** Not determined.

- **Self-inflammability:** Product is not selfigniting.

- **Explosive properties:** Product is not explosive.

- **Critical values for explosion:**

Lower: Not determined.

Upper: Not determined.

- **Steam pressure:** Not determined.

- **Density at 20 °C** 1.1 g/cm³

- **Relative density** Not determined.

- **Vapour density** Not determined.

- **Evaporation rate** Not determined.

- **Solubility in / Miscibility with**

Water: miscible

- **Partition coefficient: n-octanol/water:** Not determined.

- **Viscosity:**

dynamic at 20 °C: 14,000 mPas

kinematic: Not determined.

- **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.

- **10.2 Chemical stability**

- **Thermal decomposition / conditions to be avoided:**

No decomposition if used according to specifications.

- **10.3 Possibility of hazardous reactions** No dangerous reactions known

- **10.4 Conditions to avoid** No further relevant information available.

- **10.5 Incompatible materials:** No further relevant information available.

- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**

- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values that are relevant for classification:**

8052-42-4 Asphalt

Oral LD50 >5,000 mg/kg (rats) (vgl. OECD 401)

Dermal LD50 >2,000 mg/kg (rabbit) (vgl. OECD 402)

LL/EL/IL50 >1,000 mg/l (algae toxicity) ((72h) QSAR Computer)

>1,000 mg/l (Daphnia (acute) toxicity) ((48h) QSAR Computer)

>1,000 mg/l (fish toxicity) ((96h) QSAR Computer)

(Contd. on page 5)

Trade name: COMBIDIC-2K-PREMIUM (A-Komp.)

(Contd. of page 4)

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered acyl) derivs., hydroxides, inner salts

Oral LD50 2,335 mg/kg (rats)

reaction products of paraformaldehyde with 2-hydroxypropylamine (ratio 1:1)

Oral LD50 960 mg/kg (rats) (OECD 401)

Dermal LD50 >2,000 mg/kg (rats) (OECD 402)

- **Primary irritant effect:** No irritant action known.
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information· **12.1 Toxicity**· **Aquatic toxicity:****8052-42-4 Asphalt**

LL50 >1,000 mg/l (algae toxicity) ((72h) QSAR Computer)
>1,000 mg/l (Daphnia (acute) toxicity) ((48h) QSAR Computer)
>1,000 mg/l (fish toxicity) ((96h) QSAR Computer)

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered acyl) derivs., hydroxides, inner salts

EC 50 1.5 mg/kg /72h (Desmodesmus subspicatus) (DIN 38412 T.9 (analogy))

LC50/96h 1.11 mg/l (Calamus penna) (OECD 203 (analogy))

EC0 3,000 mg/l /16h (Pseudomas putida)

EC50 (48h) 6.5 mg/l (Daphnia magna) (OECD 202 (analogy))

LOEC 0.56 mg/l /21d (Daphnia magna) (OECD 211 (analogy))

NOEC 0.32 mg/l /21d (Daphnia magna) (OECD 211 (analogy))

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Generally not hazardous for water.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations· **13.1 Waste treatment methods**· **Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.08.2021

Version number 8

Revision: 19.08.2021

Trade name: **COMBIDIC-2K-PREMIUM (A-Komp.)**

(Contd. of page 5)

- **Uncleaned packagings:**
- **Recommendation:** Packaging can be reused or recycled after cleaning.
- **Recommended cleaning agent:** Water, if necessary with cleaning agent.

SECTION 14: Transport information

- | | |
|---|-----------------|
| <ul style="list-style-type: none"> · 14.1 UN-Number · ADR, ADN, IMDG, IATA | Void |
| <ul style="list-style-type: none"> · 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA | Void |
| <ul style="list-style-type: none"> · 14.3 Transport hazard class(es) · ADR, ADN, IMDG, IATA · Class | Void |
| <ul style="list-style-type: none"> · 14.4 Packing group · ADR, IMDG, IATA | Void |
| <ul style="list-style-type: none"> · 14.5 Environmental hazards: | Not applicable. |
| <ul style="list-style-type: none"> · 14.6 Special precautions for user | Not applicable. |
| <ul style="list-style-type: none"> · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code | Not applicable. |
| <ul style="list-style-type: none"> · UN "Model Regulation": | Void |

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
 - H302 Harmful if swallowed.
 - H314 Causes severe skin burns and eye damage.
 - H317 May cause an allergic skin reaction.
 - H318 Causes serious eye damage.
 - H332 Harmful if inhaled.
 - H341 Suspected of causing genetic defects.
 - H350 May cause cancer.
 - H373 May cause damage to organs through prolonged or repeated exposure.
 - H411 Toxic to aquatic life with long lasting effects.
- **Department issuing data specification sheet:** Environment protection department.
- **Contact:** Environment protection department.
- **Abbreviations and acronyms:**
 - ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 - IMDG: International Maritime Code for Dangerous Goods
 - IATA: International Air Transport Association
 - GHS: Globally Harmonised System of Classification and Labelling of Chemicals

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 19.08.2021

Version number 8

Revision: 19.08.2021

Trade name: COMBIDIC-2K-PREMIUM (A-Komp.)

(Contd. of page 6)

EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1C: Skin corrosion/irritation – Category 1C
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Skin Sens. 1A: Skin sensitisation – Category 1A
Muta. 2: Germ cell mutagenicity – Category 2
Carc. 1B: Carcinogenicity – Category 1B
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

· *** Data compared to the previous version altered.**

GB