

### Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.03.2021 Version number 17 Revision: 26.03.2021

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- · Trade name: COMBIDIC-2K-PREMIUM (B-Komp.)
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture bituminous coating
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

SCHOMBURG GmbH & Co. KG

Aquafinstr. 2-8 D-32760 Detmold

Germany

-----

Tel: ++49 (0)5231/953-00 email: info@schomburg.de web: www.schomburg.de

Informing department:
Product Safety Department

Tel: ++49 (0)5231/953-193 email: SDB@schomburg.de

#### **SECTION 2: Hazards identification**

- 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- · Hazard pictograms GHS05
- · Signal word Danger
- · Hazard-determining components of labelling:

Cement, portland, chemicals

Hazard statements

H318 Causes serious eye damage.

· Precautionary statements

P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P363 Wash contaminated clothing before reuse.

- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

#### **SECTION 3: Composition/information on ingredients**

- 3.2 Mixtures
- · **Description:** Product based on cement and mineral filler.

(Contd. on page 2)

### Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.03.2021 Version number 17 Revision: 26.03.2021

Trade name: COMBIDIC-2K-PREMIUM (B-Komp.)

(Contd. of page 1)

Dangerous components:

CAS: 65997-15-1 Cement, portland, chemicals

2.5-10%

EINECS: 266-043-4 Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335

Additional information For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

- 4.1 Description of first aid measures
- · General information Personal protection for the First Aider.
- · After inhalation

Supply fresh air; consult doctor in case of symptoms.

Carry persons out of the dust-contaminated area.

- After skin contact After contact, clean the skin mechanical and rinse with water and soap.
- · After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

After swallowing

Avert vomiting.

Drink copious amounts of water and provide fresh air. Instantly call for doctor.

Do not give household remedys (milk, alcohol etc.)

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing agents

Product is not inflammable.

Use fire fighting measures that suit the environment.

Water

5.2 Special hazards arising from the substance or mixture

The product formed corrosive water for fire-fighting.

- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained breathing apparatus.

#### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures

Avoid causing dust.

Avoid eye- and skin contact.

Wear protective clothing.

- **6.2 Environmental precautions:** Do not allow product to reach sewage system or water bodies.
- · 6.3 Methods and material for containment and cleaning up:

Do not flush with water or aqueous cleansing agents

Ensure adequate ventilation.

Pick up the product mechanically, avoid dust formation.

6.4 Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

See Section 7 for information on safe handling

GB

Printing date 26.03.2021 Version number 17 Revision: 26.03.2021

Trade name: COMBIDIC-2K-PREMIUM (B-Komp.)

(Contd. of page 2)

#### **SECTION 7: Handling and storage**

7.1 Precautions for safe handling

Prevent formation of dust.

Keep away from children.

- Information about protection against explosions and fires: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers: Protect against wetness and water.
- · Information about storage in one common storage facility:

Please follow the rules of the VCI-Storage-Concept for chemicals.

- · Further information about storage conditions: None.
- · Storage class 13
- · 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

- · 8.1 Control parameters
- Components with critical values that require monitoring at the workplace:

#### 65997-15-1 Cement, portland, chemicals (2.5-10%)

WEL Long-term value: 10\* 4\*\* mg/m³ \*inhalable dust \*\*respirable dust

- · Additional information: The lists that were valid during the compilation were used as basis.
- 8.2 Exposure controls
- · Appropriate engineering controls

It must be possible to wash the skin in the working area.

Eye-wash bottle must be available. No further data; see item 7 MSDS.

- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals.

Be sure to clean skin thoroughly after work and before breaks.

Avoid contact with eyes and skin. Change clothes which heavy contaminate with the product.

Vacuum clean contaminated clothing. Do not blow or brush off contamination.

- · Breathing equipment: Use respiratory protective equipment at formation of dust.
- · Hand protection Hand Protection: Nitril-rubber-latex-gloves.
- · Material of gloves

Nitril-rubber-latex-gloves II R: Thickness  $\geq 0.5$ mm; Break through time  $\geq 480$  min

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye/face protection Safety glasses
- · Body protection: Protective work clothing.

#### **SECTION 9: Physical and chemical properties**

- 9.1 Information on basic physical and chemical properties
- · General Information

· Physical state Solid material.

Colour: Grey

· Smell: Odourless

(Contd. on page 4)

Printing date 26.03.2021 Version number 17 Revision: 26.03.2021

Trade name: COMBIDIC-2K-PREMIUM (B-Komp.)

(Contd. of page 3) · Odour threshold: Not determined. · Melting point/freezing point: Not determined Boiling point or initial boiling point and boiling range not apply · Flammability Not determined. · Lower and upper explosion limit · Lower: Not determined. · Upper: Not determined. · Flash point: Not applicable · Self-inflammability: Product is not selfigniting. **Decomposition temperature:** Not determined. · pH at 20 °C 10.3 (1%) · Viscosity: Kinematic viscosity Not applicable. · dynamic: Not applicable. · Solubility · Water: miscible · Partition coefficient n-octanol/water (log Not determined. value) · Steam pressure: Not applicable. · Density and/or relative density · Density bulk density Not determined. · Relative density · Settled apparent density 1.5 kg/dm<sup>3</sup> · Vapour density Not applicable. 9.2 Other information · Appearance: · Form: Powder · Important information on protection of health and environment, and on safety. · Explosive properties: Product is not explosive. Change in condition · Evaporation rate Not applicable. · Information with regard to physical hazard classes · Explosives Void · Flammable gases Void · Aerosols Void · Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void Self-heating substances and mixtures Void · Substances and mixtures, which emit flammable gases in contact with water Void · Oxidising liquids Void Oxidising solids Void · Organic peroxides Void Void · Corrosive to metals · Desensitised explosives Void

Printing date 26.03.2021 Version number 17 Revision: 26.03.2021

Trade name: COMBIDIC-2K-PREMIUM (B-Komp.)

(Contd. of page 4)

#### **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known

#### **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity
- LD/LC50 values that are relevant for classification: No dates existing.
- · Serious eye damage/irritation Causes serious eye damage.
- Additional toxicological information: Sensitizing
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

#### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Additional ecological information:
- General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

#### **SECTION 13: Disposal considerations**

- 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleaning agent: Water, if necessary with cleaning agent.

GB

Printing date 26.03.2021 Version number 17 Revision: 26.03.2021

Trade name: COMBIDIC-2K-PREMIUM (B-Komp.)

(Contd. of page 5)

SECTION 14: Transport information	
· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk according to IMO instruments Not applicable.	
· UN "Model Regulation":	Void

#### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

- · Department issuing data specification sheet: Environment protection department.
- · Contact: Mr. Guido Herfort
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

\* Data compared to the previous version altered.