

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 06.08.2020 Version number 6 Revision: 06.08.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- · Trade name: P79-Aufbrennsperre
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Priming
- 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

SCHOMBURG GmbH & Co. KG

Aquafinstr. 2-8 D-32760 Detmold Germany

Tel: ++49 (0)5231/953-00 Fax: ++49 (0)5231/953-123 email: info@schomburg.de web: www.schomburg.de

· Informing department:

Product Safety Department

Tel: ++49 (0)5231/953-193 Fax: ++49 (0)5231/953-106 email: SDB@schomburg.de

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- · Hazard pictograms GHS05
- · Signal word Danger
- · Hazard-determining components of labelling:

potassium hydroxide

· Hazard statements

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P260 Do not breathe dusts or mists.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

(Contd. on page 2)

(Contd. of page 1)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 06.08.2020 Version number 6 Revision: 06.08.2020

Trade name: P79-Aufbrennsperre

P405 Store locked up.

Dispose of contents/container in accordance with local/regional/national/international

regulations.

2.3 Other hazards

P501

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures

· **Description:** Alkaline saponifikation of fatty acids (Kaliumoleat).

Dangerous components:

CAS: 1310-58-3 potassium hydroxide

2.5-10%

EINECS: 215-181-3 Skin Corr. 1A, H314; Acute Tox. 4, H302

Specific concentration limits: Skin Corr. 1A; H314: C ≥ 5 %

Skin Corr. 1B; H314: $2 \% \le C < 5 \%$ Skin Irrit. 2; H315: $0.5 \% \le C < 2 \%$ Eye Irrit. 2; H319: $0.5 \% \le C < 2 \%$

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · General information Personal protection for the First Aider.
- · After inhalation Supply fresh air; consult doctor in case of symptoms.
- · After skin contact

Rinse with large amount of water and soap.

If skin irritation continues, consult a doctor.

- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing

Rinse out mouth, don't drink water or eat something. Do not give household remedys (milk, alcohol etc.). Avert vomiting. Have medical treatment.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information Product is inflammable during water-component is existing.

C D

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 06.08.2020 Version number 6 Revision: 06.08.2020

Trade name: P79-Aufbrennsperre

(Contd. of page 2)

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Product forms slippery surface when combined with water.

Avoid eye- and skin contact.

- · 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Keep away from children.

- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- Requirements to be met by storerooms and containers: No special requirements.
- Information about storage in one common storage facility:

Please follow the rules of the VCI-Storage-Concept for chemicals.

· Further information about storage conditions:

Keep container tightly sealed.

Store in a locked cabinet and out of the reach of children.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical systems:

Eve-wash bottle must be available.

It must be possible to wash the skin in the working area.

Work with fresh air supply (keep doors and windows open).

- 8.1 Control parameters
- · Components with critical values that require monitoring at the workplace:

1310-58-3 potassium hydroxide (2.5-10%)

WEL Short-term value: 2 mg/m3

- · Additional information: The lists that were valid during the compilation were used as basis.
- 8.2 Exposure controls
- · Personal protective equipment
- General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals.

Instantly remove any soiled and impregnated garments.

Avoid contact with the eyes and skin.

Wash hands during breaks and at the end of the work.

- · Breathing equipment: Not required.
- · Protection of hands: Hand Protection: Nitril-rubber-latex-gloves.

(Contd. on page 4)

Revision: 06.08.2020

(Contd. of page 3)

Safety data sheet according to 1907/2006/EC, Article 31

Version number 6

according to 1907/2000/EC, Article 31

Trade name: P79-Aufbrennsperre

· Material of gloves

Printing date 06.08.2020

Nitril-rubber-latex-gloves II R: Thickness ≥ 0.5 mm; Break through time ≥ 480 min

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Safety glasses
- Body protection:

Alkaline resistant protective clothing

Contaminated protection clothes must be cleaned carefully before reuse.

SECTION 9: Physical and chemical pro	perties
9.1 Information on basic physical and o	chemical properties
General Information	
Appearance:	EL CL
Form:	Fluid
Colour: Smell:	Red Characteristic
Odour threshold:	Not determined.
pH-value at 20 °C:	13.5
·	10.0
Change in condition	No. 1. Complete Land
Melting point/freezing point:	Not determined
Initial boiling point and boiling range	
Flash point:	Not applicable
Inflammability (solid, gaseous)	Not applicable.
Decomposition temperature:	Not determined.
Self-inflammability:	Product is not selfigniting.
Explosive properties:	Product is not explosive.
Critical values for explosion:	
Lower:	Not determined.
Upper:	Not determined.
Steam pressure:	Not determined.
Density at 20 °C	1.03 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	miscible
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
dynamic at 20 °C:	29 mPas
kinematic:	Not determined.

(Contd. on page 5)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.08.2020 Version number 6 Revision: 06.08.2020

Trade name: P79-Aufbrennsperre

(Contd. of page 4)

9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- LD/LC50 values that are relevant for classification:

1310-58-3 potassium hydroxide

Oral LD50 365 mg/kg (rats)

- Primary irritant effect:
- · Skin corrosion/irritation

Causes severe skin burns and eye damage.

· Serious eye damage/irritation

Causes serious eye damage.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water.

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

(Contd. on page 6)

(Contd. of page 5)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.08.2020 Version number 6 Revision: 06.08.2020

Trade name: P79-Aufbrennsperre

· 12.5 Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

07 00 00 WASTES FROM ORGANIC CHEMICAL PROCESSES

07 01 00 wastes from the manufacture, formulation, supply and use (MFSU) of basic organic chemicals 07 01 99 wastes not otherwise specified

- · Uncleaned packagings:
- · **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information	
· 14.1 UN-Number · ADR, IMDG, IATA	UN1814
, , , , , , , , , , , , , , , , , , ,	GIVIOTA
14.2 UN proper shipping name	4044 DOTAGONINA IN (DDG) ((DE GO) LITION
· ADR	1814 POTASSIUM HYDROXIDE SOLUTION mixture
· IMDG, IATA	POTASSIUM HYDROXIDE SOLUTION mixture
,	FOTAGSIOW ITTERCALE SOLUTION IIIIXIULE
14.3 Transport hazard class(es)	
· ADR, IMDG, IATA	
· Class	8 Corrosive substances.
· Label	8
. 14.4 Packing group	
· 14.4 Packing group · ADR, IMDG, IATA	II.
	ll .
	II
14.5 Environmental hazards:	·
14.5 Environmental hazards:	No
14.5 Environmental hazards: Marine pollutant: 14.6 Special precautions for user	No Warning: Corrosive substances.
· 14.5 Environmental hazards: · Marine pollutant: · 14.6 Special precautions for user · Kemler Number:	No Warning: Corrosive substances. 80
· 14.5 Environmental hazards: · Marine pollutant: · 14.6 Special precautions for user · Kemler Number: · EMS Number:	No Warning: Corrosive substances. 80 F-A,S-B
· 14.5 Environmental hazards: · Marine pollutant: · 14.6 Special precautions for user · Kemler Number: · EMS Number: · Segregation groups	No Warning: Corrosive substances. 80 F-A,S-B Alkalis
· 14.5 Environmental hazards: · Marine pollutant: · 14.6 Special precautions for user · Kemler Number: · EMS Number: · Segregation groups · Stowage Category	No Warning: Corrosive substances. 80 F-A,S-B Alkalis A
· 14.5 Environmental hazards: · Marine pollutant: · 14.6 Special precautions for user · Kemler Number: · EMS Number: · Segregation groups	No Warning: Corrosive substances. 80 F-A,S-B Alkalis

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 06.08.2020 Version number 6 Revision: 06.08.2020

Trade name: P79-Aufbrennsperre

	(Contd. of page 6
· 14.7 Transport in bulk according to Ann Marpol and the IBC Code	ex II of Not applicable.
· Transport/Additional information:	
· ADR · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
Transport category Tunnel restriction code	2 E
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1814 POTASSIUM HYDROXIDE SOLUTION MIXTURE, 8, II

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

- Department issuing data specification sheet: Environment protection department.
- · Contact: Mr. Guido Herfort
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - oral - Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

(Contd. on page 8)

Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.08.2020 Version number 6 Revision: 06.08.2020

Trade name: P79-Aufbrennsperre

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 · * Data compared to the previous version altered.

(Contd. of page 7)