

according to 1907/2006/EC, Article 31

Printing date 17.05.2016 Version number 4 Revision: 17.05.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

· Trade name: Unifix-S3-FAST (liquid component)

· Article number: 204298B

1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

- · Application of the substance / the mixture Tile adhesive
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

SCHOMBURG GmbH & Co. KG

Aquafinstr. 2-8 D-32760 Detmold Germany

Tel: ++49 (0)5231/953-00 Fax: ++49 (0)5231/953-123 email: info@schomburg.de web: www.schomburg.de

• Informing department:

Anita Mattern

Phone: 1-866-278-2346 Fax: 410-392-2324

email: a.mattern@aquafin.net

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008 The product is not classified according to the CLP regulation.
- 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Additional information:

Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction. Safety data sheet available on request.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Chemical characterisation: Mixtures
- · Description: Water based acrylic copolymer dispersion
- Dangerous components:

9002-93-1 p-Diisobutylphenoxypolyethoxyethanol Aquatic Chronic 3, H412

< 0,5%

·SVHC

(Contd. on page 2)

according to 1907/2006/EC, Article 31

Printing date 17.05.2016 Version number 4 Revision: 17.05.2016

Trade name: Unifix-S3-FAST (liquid component)

(Contd. of page 1)

The product contains a material in a concentration of ≥ 0.1 % w/w which is listed in the candidate list acc. to Art. 59 (1,10) of the REACH regulation EC Nr. 1907/2006: p-Diisobutylphenoxypolyethoxyethanol (CAS.Nr. 9002-93-1)

9002-93-1 p-Diisobutylphenoxypolyethoxyethanol

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · General information Personal protection for the First Aider.
- · After inhalation Supply fresh air; consult doctor in case of symptoms.
- · After skin contact

After contact, clean the skin mechanical and rinse with water and soap.

Change immediately heavy contaminated clothes.

Don't use solvents to clean the skin.

- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing

Drink copious amounts of water. Avert vomiting. Instantly call for doctor.

Show the pack or the label to the doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained breathing apparatus.
- · Additional information Product is inflammable during water-component is existing.

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and emergency procedures Bring persons out of danger.

Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of the material collected according to regulations.

6.4 Reference to other sections

No dangerous materials are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Keep away from children.
- · Information about protection against explosions and fires: No special measures required.

(Contd. on page 3)

according to 1907/2006/EC, Article 31

Printing date 17.05.2016 Version number 4 Revision: 17.05.2016

Trade name: Unifix-S3-FAST (liquid component)

(Contd. of page 2)

- 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and containers: No special requirements.
- Information about storage in one common storage facility:
 Please follow the rules of the VCI-Storage-Concept for chemicals.
- Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical systems:

Eye-wash bottle must be available.

It must be possible to wash the skin in the working area.

- · 8.1 Control parameters
- · Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the compilation were used as basis.
- 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not required.
- · Protection of hands: Hand Protection: Nitril-rubber-latex-gloves.
- · Material of gloves

Butyl rubber II R: Thickness \geq 0,5mm; Break through time \geq 480 min

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Safety glasses
- · Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

 9.1 Information or 	basic physical and	d chemical properties
--	--------------------	-----------------------

· General Information

· Appearance:

Form: Pasty

Colour: According to product specification

· Smell: Characteristic

• pH-value at 20 °C: 8

· Change in condition

Melting point/Melting range: Not determined

Boiling point/Boiling range: 100 ℃

Bolling Polity Bolling Talige: 100 0		
· Flash point:	Not applicable	
· Self-inflammability:	Product is not selfigniting.	
· Danger of explosion:	Product is not explosive.	
· Density at 20 °C	1,01 g/cm ³	

(Contd. on page 4)

according to 1907/2006/EC, Article 31

Printing date 17.05.2016 Version number 4 Revision: 17.05.2016

Trade name: Unifix-S3-FAST (liquid component)

(Contd. of page 3)

 $\cdot \ \text{Solubility in} \ / \ \text{Miscibility with}$

Water: miscible

· Viscosity:

dynamic at 20 °C: 2100 mPas

• 9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification: No dates existing.
- · Primary irritant effect: No irritant action known.
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

GB

according to 1907/2006/EC, Article 31

Printing date 17.05.2016 Version number 4 Revision: 17.05.2016

Trade name: Unifix-S3-FAST (liquid component)

(Contd. of page 4)

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- · Recommendation

Smaller quantities can be disposed with household garbage.

Transfer to a permitted waste diposal institution.

· European waste catalogue

08 00 00 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS

08 04 00 wastes from MFSU of adhesives and sealants (including waterproofing products)

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

- Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information	
· 14.1 UN-Number · ADR	Void
· 14.2 UN proper shipping name · ADR	Void
· 14.3 Transport hazard class(es)	
· ADR · Class	Void
· 14.4 Packing group · ADR	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
 14.7 Transport in bulk according to Ann of Marpol and the IBC Code 	nex II Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · National regulations
- · Water hazard class:

Water hazard class 1 (Self-assessment): slightly hazardous for water.

The classification based on german instructions.

- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57

9002-93-1 p-Diisobutylphenoxypolyethoxyethanol

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

GB

according to 1907/2006/EC, Article 31

Printing date 17.05.2016 Version number 4 Revision: 17.05.2016

Trade name: Unifix-S3-FAST (liquid component)

(Contd. of page 5)

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H412 Harmful to aquatic life with long lasting effects.

- · Department issuing data specification sheet: Environment protection department.
- Contact: Mr. Guido Herfort
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

· * Data compared to the previous version altered.